





















NO.	Item		Diagram
1	Draw No.	EI008	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.261	
	Exposed Surface (m <sup>2</sup> /m)	0.0737	
2	Draw No.	EI008A	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.26	
	Exposed Surface (m <sup>2</sup> /m)	0.0709	
3	Draw No.	EI009	
	Thickness (mm)	1.6	
	Theory Weight (kg/m)	0.793	
	Exposed Surface (m <sup>2</sup> /m)	0.2014	
4	Draw No.	EI010	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.291	
	Exposed Surface (m <sup>2</sup> /m)	0.0847	
5	Draw No.	EI011	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.159	
	Exposed Surface (m <sup>2</sup> /m)	0.0398	






NO.	Item		Diagram
6	Draw No.	EI012	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.308	
	Exposed Surface (m <sup>2</sup> /m)	0.1262	
7	Draw No.	EI013	
	Thickness (mm)	2	
	Theory Weight (kg/m)	0.627	
	Exposed Surface (m <sup>2</sup> /m)	0.1805	
8	Draw No.	EI014	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.39	
	Exposed Surface (m <sup>2</sup> /m)	0.1635	
9	Draw No.	EI015	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.278	
	Exposed Surface (m <sup>2</sup> /m)	0.0631	
10	Draw No.	EI032	
	Thickness (mm)	3.81	
	Theory Weight (kg/m)	1.173	
	Exposed Surface (m <sup>2</sup> /m)	0.114	






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.

NO.	Item		Diagram
11	Draw No.	EI033	
	Thickness (mm)	10	
	Theory Weight (kg/m)	0.894	
	Exposed Surface (m <sup>2</sup> /m)	0.0814	
12	Draw No.	EI035	
	Thickness (mm)	2	
	Theory Weight (kg/m)	1.06	
	Exposed Surface (m <sup>2</sup> /m)	0.1559	
13	Draw No.	EI036	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.831	
	Exposed Surface (m <sup>2</sup> /m)	0.2319	
14	Draw No.	EI037	
	Thickness (mm)	2	
	Theory Weight (kg/m)	1.44	
	Exposed Surface (m <sup>2</sup> /m)	0.182	
15	Draw No.	EI038	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.169	
	Exposed Surface (m <sup>2</sup> /m)	0.0231	






NO.	Item		Diagram
16	Draw No.	EI039	
	Thickness (mm)	2	
	Theory Weight (kg/m)	0.994	
	Exposed Surface (m <sup>2</sup> /m)	0.098	
17	Draw No.	EI040	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.191	
	Exposed Surface (m <sup>2</sup> /m)	0.0307	
18	Draw No.	EI051	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.37	
	Exposed Surface (m <sup>2</sup> /m)	0.1289	
19	Draw No.	EI052	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.441	
	Exposed Surface (m <sup>2</sup> /m)	0.1289	
20	Draw No.	EI053	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.63	
	Exposed Surface (m <sup>2</sup> /m)	0.2258	






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.

NO.	Item		Diagram
21	Draw No.	EI054	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.197	
	Exposed Surface (m <sup>2</sup> /m)	0.0375	
22	Draw No.	EI055	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.698	
	Exposed Surface (m <sup>2</sup> /m)	0.2298	
23	Draw No.	EI057	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.125	
	Exposed Surface (m <sup>2</sup> /m)	0.0388	
24	Draw No.	EI068	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.526	
	Exposed Surface (m <sup>2</sup> /m)	0.1869	
25	Draw No.	EI069	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.474	
	Exposed Surface (m <sup>2</sup> /m)	0.1953	

NO.	Item		Diagram
26	Draw No.	EI070	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.567	
	Exposed Surface (m <sup>2</sup> /m)	0.2524	
27	Draw No.	EI071	
	Thickness (mm)	1.6	
	Theory Weight (kg/m)	0.8402	
	Exposed Surface (m <sup>2</sup> /m)	0.2088	
28	Draw No.	EI072	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.884	
	Exposed Surface (m <sup>2</sup> /m)	0.3026	
29	Draw No.	EI073	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.93	
	Exposed Surface (m <sup>2</sup> /m)	0.3349	
30	Draw No.	EI074	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.511	
	Exposed Surface (m <sup>2</sup> /m)	0.173	






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.






NO.	Item		Diagram
31	Draw No.	EI075	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.552	
	Exposed Surface (m <sup>2</sup> /m)	0.1973	
32	Draw No.	EI076	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.908	
	Exposed Surface (m <sup>2</sup> /m)	0.2536	
33	Draw No.	EI077	
	Thickness (mm)	1.8	
	Theory Weight (kg/m)	0.789	
	Exposed Surface (m <sup>2</sup> /m)	0.1844	
34	Draw No.	EI078	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.857	
	Exposed Surface (m <sup>2</sup> /m)	0.2286	
35	Draw No.	EI080	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	1.22	
	Exposed Surface (m <sup>2</sup> /m)	0.3176	

NO.	Item		Diagram
36	Draw No.	EI081	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	1.271	
	Exposed Surface (m <sup>2</sup> /m)	0.3429	
37	Draw No.	EI082	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.291	
	Exposed Surface (m <sup>2</sup> /m)	0.1016	
38	Draw No.	EI084	
	Thickness (mm)	1.6	
	Theory Weight (kg/m)	0.968	
	Exposed Surface (m <sup>2</sup> /m)	0.2446	
39	Draw No.	EI085	
	Thickness (mm)	1.8	
	Theory Weight (kg/m)	1.458	
	Exposed Surface (m <sup>2</sup> /m)	0.3176	
40	Draw No.	EI086	
	Thickness (mm)	1.85	
	Theory Weight (kg/m)	1.561	
	Exposed Surface (m <sup>2</sup> /m)	0.343	






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.






# EI Series diagram

NO.	Item		Diagram
41	Draw No.	EI091	
	Thickness (mm)	1.8	
	Theory Weight (kg/m)	0.711	
	Exposed Surface (m <sup>2</sup> /m)	0.1524	
42	Draw No.	EI093	
	Thickness (mm)	2	
	Theory Weight (kg/m)	1.546	
	Exposed Surface (m <sup>2</sup> /m)	0.2922	
43	Draw No.	EI094	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.366	
	Exposed Surface (m <sup>2</sup> /m)	0.1016	
44	Draw No.	EI104	
	Thickness (mm)	1.65	
	Theory Weight (kg/m)	0.468	
	Exposed Surface (m <sup>2</sup> /m)	0.1209	
45	Draw No.	EI107	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.511	
	Exposed Surface (m <sup>2</sup> /m)	0.1398	






NO.	Item		Diagram
46	Draw No.	EI108	
	Thickness (mm)	1.65	
	Theory Weight (kg/m)	0.655	
	Exposed Surface (m <sup>2</sup> /m)	0.1652	
47	Draw No.	EI109	
	Thickness (mm)	1.6	
	Theory Weight (kg/m)	0.827	
	Exposed Surface (m <sup>2</sup> /m)	0.2088	
48	Draw No.	EI110	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.961	
	Exposed Surface (m <sup>2</sup> /m)	0.2414	
49	Draw No.	EI111	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	1.012	
	Exposed Surface (m <sup>2</sup> /m)	0.2662	
50	Draw No.	EI112	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	1.063	
	Exposed Surface (m <sup>2</sup> /m)	0.2909	






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.

NO.	Item		Diagram
51	Draw No.	EI114	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	1.063	
	Exposed Surface (m <sup>2</sup> /m)	0.2909	
52	Draw No.	EI116	
	Thickness (mm)	1.14	
	Theory Weight (kg/m)	0.538	
	Exposed Surface (m <sup>2</sup> /m)	0.1778	
53	Draw No.	EI117	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.258	
	Exposed Surface (m <sup>2</sup> /m)	0.0744	
54	Draw No.	EI118	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.306	
	Exposed Surface (m <sup>2</sup> /m)	0.0981	
55	Draw No.	EI119	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.411	
	Exposed Surface (m <sup>2</sup> /m)	0.124	






NO.	Item		Diagram
56	Draw No.	EI123	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.103	
	Exposed Surface (m <sup>2</sup> /m)	0.0331	
57	Draw No.	EI124	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.942	
	Exposed Surface (m <sup>2</sup> /m)	0.1701	
58	Draw No.	EI125	
	Thickness (mm)	2	
	Theory Weight (kg/m)	0.756	
	Exposed Surface (m <sup>2</sup> /m)	0.2288	
59	Draw No.	EI126	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.184	
	Exposed Surface (m <sup>2</sup> /m)	0.0447	
60	Draw No.	EI127	
	Thickness (mm)	1.15	
	Theory Weight (kg/m)	0.245	
	Exposed Surface (m <sup>2</sup> /m)	0.1177	






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.

NO.	Item		Diagram
61	Draw No.	EI128	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.952	
	Exposed Surface (m <sup>2</sup> /m)	0.1127	
62	Draw No.	EI129	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.535	
	Exposed Surface (m <sup>2</sup> /m)	0.0936	
63	Draw No.	EI135	
	Thickness (mm)	2.2	
	Theory Weight (kg/m)	2.0121	
	Exposed Surface (m <sup>2</sup> /m)	0.2611	
64	Draw No.	EI136	
	Thickness (mm)	1.8	
	Theory Weight (kg/m)	0.467	
	Exposed Surface (m <sup>2</sup> /m)	0.1981	
65	Draw No.	EI139	
	Thickness (mm)	2	
	Theory Weight (kg/m)	0.408	
	Exposed Surface (m <sup>2</sup> /m)	0.0678	

NO.	Item		Diagram
66	Draw No.	EI140	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.974	
	Exposed Surface (m <sup>2</sup> /m)	0.1923	
67	Draw No.	EI143	
	Thickness (mm)	1.58	
	Theory Weight (kg/m)	0.185	
	Exposed Surface (m <sup>2</sup> /m)	0.0889	
68	Draw No.	EI144	
	Thickness (mm)	2	
	Theory Weight (kg/m)	1.097	
	Exposed Surface (m <sup>2</sup> /m)	0.2096	
69	Draw No.	EI149	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.591	
	Exposed Surface (m <sup>2</sup> /m)	0.1208	
70	Draw No.	EI150	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.274	
	Exposed Surface (m <sup>2</sup> /m)	0.062	






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.






NO.	Item		Diagram
71	Draw No.	EI151	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.232	
	Exposed Surface (m <sup>2</sup> /m)	0.0821	
72	Draw No.	EI152	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.422	
	Exposed Surface (m <sup>2</sup> /m)	0.1331	
73	Draw No.	EI153	
	Thickness (mm)	2	
	Theory Weight (kg/m)	1.104	
	Exposed Surface (m <sup>2</sup> /m)	0.1524	
74	Draw No.	EI154	
	Thickness (mm)	2	
	Theory Weight (kg/m)	1.106	
	Exposed Surface (m <sup>2</sup> /m)	0.1746	
75	Draw No.	EI155	
	Thickness (mm)	2	
	Theory Weight (kg/m)	1.046	
	Exposed Surface (m <sup>2</sup> /m)	0.2153	

NO.	Item		Diagram
76	Draw No.	EI156	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.64	
	Exposed Surface (m <sup>2</sup> /m)	0.1497	
77	Draw No.	EI157	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.216	
	Exposed Surface (m <sup>2</sup> /m)	0.0997	
78	Draw No.	EI158	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.489	
	Exposed Surface (m <sup>2</sup> /m)	0.2425	
79	Draw No.	EI159	
	Thickness (mm)	1.27	
	Theory Weight (kg/m)	0.532	
	Exposed Surface (m <sup>2</sup> /m)	0.1455	
80	Draw No.	EI160	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.456	
	Exposed Surface (m <sup>2</sup> /m)	0.0903	

Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.



NO.	Item		Diagram
81	Draw No.	EI161	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.468	
	Exposed Surface (m <sup>2</sup> /m)	0.1348	
82	Draw No.	EI162	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.509	
	Exposed Surface (m <sup>2</sup> /m)	0.1475	
83	Draw No.	EI163	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.594	
	Exposed Surface (m <sup>2</sup> /m)	0.2168	
84	Draw No.	EI164	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.529	
	Exposed Surface (m <sup>2</sup> /m)	0.1394	
85	Draw No.	EI168	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	1.168	
	Exposed Surface (m <sup>2</sup> /m)	0.2922	

NO.	Item		Diagram
86	Draw No.	EI169	
	Thickness (mm)	1.6	
	Theory Weight (kg/m)	0.367	
	Exposed Surface (m <sup>2</sup> /m)	0.088	
87	Draw No.	EI170	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.101	
	Exposed Surface (m <sup>2</sup> /m)	0.0386	
88	Draw No.	EI173	
	Thickness (mm)	1.27	
	Theory Weight (kg/m)	0.432	
	Exposed Surface (m <sup>2</sup> /m)	0.1629	
89	Draw No.	EI174	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.428	
	Exposed Surface (m <sup>2</sup> /m)	0.1086	
90	Draw No.	EI175	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.299	
	Exposed Surface (m <sup>2</sup> /m)	0.106	






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.






# EI Series diagram

NO.	Item		Diagram
91	Draw No.	EI176	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.379	
	Exposed Surface (m <sup>2</sup> /m)	0.1159	
92	Draw No.	EI177	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.364	
	Exposed Surface (m <sup>2</sup> /m)	0.1236	
93	Draw No.	EI178	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.34	
	Exposed Surface (m <sup>2</sup> /m)	0.1766	
94	Draw No.	EI179	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.379	
	Exposed Surface (m <sup>2</sup> /m)	0.09	
95	Draw No.	EI180	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.599	
	Exposed Surface (m <sup>2</sup> /m)	0.1414	






NO.	Item		Diagram
96	Draw No.	EI181	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.201	
	Exposed Surface (m <sup>2</sup> /m)	0.0362	
97	Draw No.	EI182	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.168	
	Exposed Surface (m <sup>2</sup> /m)	0.0437	
98	Draw No.	EI186	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.213	
	Exposed Surface (m <sup>2</sup> /m)	0.0773	
99	Draw No.	EI187	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.312	
	Exposed Surface (m <sup>2</sup> /m)	0.1213	
100	Draw No.	EI188	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.175	
	Exposed Surface (m <sup>2</sup> /m)	0.531	






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.

NO.	Item		Diagram
101	Draw No.	EI189	
	Thickness (mm)	1.14	
	Theory Weight (kg/m)	0.314	
	Exposed Surface (m <sup>2</sup> /m)	0.1284	
102	Draw No.	EI190	
	Thickness (mm)	1.14	
	Theory Weight (kg/m)	0.378	
	Exposed Surface (m <sup>2</sup> /m)	0.1284	
103	Draw No.	EI191	
	Thickness (mm)	1.14	
	Theory Weight (kg/m)	0.51	
	Exposed Surface (m <sup>2</sup> /m)	0.2257	
104	Draw No.	EI192	
	Thickness (mm)	1.14	
	Theory Weight (kg/m)	0.193	
	Exposed Surface (m <sup>2</sup> /m)	0.0301	
105	Draw No.	EI193	
	Thickness (mm)	1.14	
	Theory Weight (kg/m)	0.609	
	Exposed Surface (m <sup>2</sup> /m)	0.2288	






NO.	Item		Diagram
106	Draw No.	EI201	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.265	
	Exposed Surface (m <sup>2</sup> /m)	0.121	
107	Draw No.	EI202	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.323	
	Exposed Surface (m <sup>2</sup> /m)	0.1283	
108	Draw No.	EI203	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.32	
	Exposed Surface (m <sup>2</sup> /m)	0.1355	
109	Draw No.	EI204	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.307	
	Exposed Surface (m <sup>2</sup> /m)	0.1056	
110	Draw No.	EI205	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.388	
	Exposed Surface (m <sup>2</sup> /m)	0.1704	






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.

NO.	Item		Diagram
111	Draw No.	EI206	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.363	
	Exposed Surface (m <sup>2</sup> /m)	0.1377	
112	Draw No.	EI207	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.542	
	Exposed Surface (m <sup>2</sup> /m)	0.1203	
113	Draw No.	EI208	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.573	
	Exposed Surface (m <sup>2</sup> /m)	0.1251	
114	Draw No.	EI210	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.19	
	Exposed Surface (m <sup>2</sup> /m)	0.0339	
115	Draw No.	EI215	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.728	
	Exposed Surface (m <sup>2</sup> /m)	0.3289	

NO.	Item		Diagram
116	Draw No.	EI216	
	Thickness (mm)	1.15	
	Theory Weight (kg/m)	0.256	
	Exposed Surface (m <sup>2</sup> /m)	0.1313	
117	Draw No.	EI217	
	Thickness (mm)	1.15	
	Theory Weight (kg/m)	0.209	
	Exposed Surface (m <sup>2</sup> /m)	0.0971	
118	Draw No.	EI218	
	Thickness (mm)	1.15	
	Theory Weight (kg/m)	0.276	
	Exposed Surface (m <sup>2</sup> /m)	0.1408	
119	Draw No.	EI219	
	Thickness (mm)	1.15	
	Theory Weight (kg/m)	0.186	
	Exposed Surface (m <sup>2</sup> /m)	0.049	
120	Draw No.	EI220	
	Thickness (mm)	1.15	
	Theory Weight (kg/m)	0.16	
	Exposed Surface (m <sup>2</sup> /m)	0.1028	

Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.

NO.	Item		Diagram
121	Draw No.	EI221	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.657	
	Exposed Surface (m <sup>2</sup> /m)	0.1819	
122	Draw No.	EI222	
	Thickness (mm)	1.6	
	Theory Weight (kg/m)	0.924	
	Exposed Surface (m <sup>2</sup> /m)	0.3151	
123	Draw No.	EI222A	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.89	
	Exposed Surface (m <sup>2</sup> /m)	0.3044	
124	Draw No.	EI223	
	Thickness (mm)	1.6	
	Theory Weight (kg/m)	0.901	
	Exposed Surface (m <sup>2</sup> /m)	0.2996	
125	Draw No.	EI223A	
	Thickness (mm)	1.45	
	Theory Weight (kg/m)	0.82	
	Exposed Surface (m <sup>2</sup> /m)	0.2962	

NO.	Item		Diagram
126	Draw No.	EI224	
	Thickness (mm)	1.6	
	Theory Weight (kg/m)	0.724	
	Exposed Surface (m <sup>2</sup> /m)	0.1989	
127	Draw No.	EI224A	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.68	
	Exposed Surface (m <sup>2</sup> /m)	0.1989	
128	Draw No.	EI225	
	Thickness (mm)	1.6	
	Theory Weight (kg/m)	0.786	
	Exposed Surface (m <sup>2</sup> /m)	0.1605	
129	Draw No.	EI225A	
	Thickness (mm)	1.45	
	Theory Weight (kg/m)	0.72	
	Exposed Surface (m <sup>2</sup> /m)	0.1598	
130	Draw No.	EI226	
	Thickness (mm)	1.6	
	Theory Weight (kg/m)	0.726	
	Exposed Surface (m <sup>2</sup> /m)	0.1804	






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.






# EI Series diagram

NO.	Item		Diagram
131	Draw No.	EI226A	
	Thickness (mm)	1.45	
	Theory Weight (kg/m)	0.67	
	Exposed Surface (m <sup>2</sup> /m)	0.1775	
132	Draw No.	EI227	
	Thickness (mm)	1.6	
	Theory Weight (kg/m)	0.824	
	Exposed Surface (m <sup>2</sup> /m)	0.1491	
133	Draw No.	EI227A	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.693	
	Exposed Surface (m <sup>2</sup> /m)	0.1439	
134	Draw No.	EI228	
	Thickness (mm)	1.6	
	Theory Weight (kg/m)	0.688	
	Exposed Surface (m <sup>2</sup> /m)	0.121	
135	Draw No.	EI228A	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.63	
	Exposed Surface (m <sup>2</sup> /m)	0.1587	

NO.	Item		Diagram
136	Draw No.	EI229	
	Thickness (mm)	1.6	
	Theory Weight (kg/m)	0.663	
	Exposed Surface (m <sup>2</sup> /m)	0.2232	
137	Draw No.	EI229A	
	Thickness (mm)	1.45	
	Theory Weight (kg/m)	0.6	
	Exposed Surface (m <sup>2</sup> /m)	0.2202	
138	Draw No.	EI230	
	Thickness (mm)	1.6	
	Theory Weight (kg/m)	0.437	
	Exposed Surface (m <sup>2</sup> /m)	0.1552	
139	Draw No.	EI230A	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.57	
	Exposed Surface (m <sup>2</sup> /m)	0.1486	
140	Draw No.	EI231	
	Thickness (mm)	1.6	
	Theory Weight (kg/m)	0.4	
	Exposed Surface (m <sup>2</sup> /m)	0.1044	

Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.

NO.	Item		Diagram
141	Draw No.	EI232	
	Thickness (mm)	1.6	
	Theory Weight (kg/m)	0.961	
	Exposed Surface (m <sup>2</sup> /m)	0.2527	
142	Draw No.	EI233	
	Thickness (mm)	1.16	
	Theory Weight (kg/m)	0.384	
	Exposed Surface (m <sup>2</sup> /m)	0.121	
143	Draw No.	EI234	
	Thickness (mm)	1.16	
	Theory Weight (kg/m)	0.399	
	Exposed Surface (m <sup>2</sup> /m)	0.1739	
144	Draw No.	EI235	
	Thickness (mm)	1.14	
	Theory Weight (kg/m)	0.111	
	Exposed Surface (m <sup>2</sup> /m)	0.0406	
145	Draw No.	EI241	
	Thickness (mm)	1.8	
	Theory Weight (kg/m)	0.927	
	Exposed Surface (m <sup>2</sup> /m)	0.2124	

NO.	Item		Diagram
146	Draw No.	EI243	
	Thickness (mm)	6.1	
	Theory Weight (kg/m)	13.12	
	Exposed Surface (m <sup>2</sup> /m)	0	
147	Draw No.	EI249	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.546	
	Exposed Surface (m <sup>2</sup> /m)	0.1852	
148	Draw No.	EI250	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.707	
	Exposed Surface (m <sup>2</sup> /m)	0.1599	
149	Draw No.	EI251	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.787	
	Exposed Surface (m <sup>2</sup> /m)	0.1886	
150	Draw No.	EI252	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.895	
	Exposed Surface (m <sup>2</sup> /m)	0.2037	






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.






NO.	Item		Diagram
151	Draw No.	EI253	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.39	
	Exposed Surface (m <sup>2</sup> /m)	0.1551	
152	Draw No.	EI254	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.411	
	Exposed Surface (m <sup>2</sup> /m)	0.1726	
153	Draw No.	EI255	
	Thickness (mm)	1.58	
	Theory Weight (kg/m)	0.089	
	Exposed Surface (m <sup>2</sup> /m)	0.0444	
154	Draw No.	EI256	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.731	
	Exposed Surface (m <sup>2</sup> /m)	0.4534	
155	Draw No.	EI257	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.499	
	Exposed Surface (m <sup>2</sup> /m)	0.3109	

NO.	Item		Diagram
156	Draw No.	EI258	
	Thickness (mm)	1.27	
	Theory Weight (kg/m)	0.071	
	Exposed Surface (m <sup>2</sup> /m)	0.0429	
157	Draw No.	EI259	
	Thickness (mm)	1.27	
	Theory Weight (kg/m)	0.18	
	Exposed Surface (m <sup>2</sup> /m)	0.1058	
158	Draw No.	EI260	
	Thickness (mm)	1.27	
	Theory Weight (kg/m)	0.6	
	Exposed Surface (m <sup>2</sup> /m)	0.2017	
159	Draw No.	EI261	
	Thickness (mm)	1.27	
	Theory Weight (kg/m)	0.749	
	Exposed Surface (m <sup>2</sup> /m)	0.2567	
160	Draw No.	EI262	
	Thickness (mm)	1.27	
	Theory Weight (kg/m)	0.886	
	Exposed Surface (m <sup>2</sup> /m)	0.3166	

Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.













NO.	Item		Diagram
161	Draw No.	EI263	
	Thickness (mm)	2.36	
	Theory Weight (kg/m)	1.569	
	Exposed Surface (m <sup>2</sup> /m)	0.2568	
162	Draw No.	EI263A	
	Thickness (mm)	1.8	
	Theory Weight (kg/m)	1.227	
	Exposed Surface (m <sup>2</sup> /m)	0.2658	
163	Draw No.	EI264	
	Thickness (mm)	1.52	
	Theory Weight (kg/m)	0.569	
	Exposed Surface (m <sup>2</sup> /m)	0.1792	
164	Draw No.	EI265	
	Thickness (mm)	1.52	
	Theory Weight (kg/m)	0.507	
	Exposed Surface (m <sup>2</sup> /m)	0.1492	
165	Draw No.	EI266	
	Thickness (mm)	1.52	
	Theory Weight (kg/m)	0.498	
	Exposed Surface (m <sup>2</sup> /m)	0.1669	

NO.	Item		Diagram
166	Draw No.	EI267	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.208	
	Exposed Surface (m <sup>2</sup> /m)	0.0683	
167	Draw No.	EI268	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.254	
	Exposed Surface (m <sup>2</sup> /m)	0.0766	
168	Draw No.	EI269	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.805	
	Exposed Surface (m <sup>2</sup> /m)	0.2032	
169	Draw No.	EI270	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	1.012	
	Exposed Surface (m <sup>2</sup> /m)	0.2662	
170	Draw No.	EI271	
	Thickness (mm)	1.8	
	Theory Weight (kg/m)	0.92	
	Exposed Surface (m <sup>2</sup> /m)	0.2027	

Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.

# EI Series diagram

NO.	Item		Diagram
171	Draw No.	EI272	
	Thickness (mm)	1.8	
	Theory Weight (kg/m)	0.927	
	Exposed Surface (m <sup>2</sup> /m)	0.2258	
172	Draw No.	EI273	
	Thickness (mm)	1.27	
	Theory Weight (kg/m)	0.813	
	Exposed Surface (m <sup>2</sup> /m)	0.2939	
173	Draw No.	EI274	
	Thickness (mm)	1.27	
	Theory Weight (kg/m)	0.927	
	Exposed Surface (m <sup>2</sup> /m)	0.3392	
174	Draw No.	EI275	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.558	
	Exposed Surface (m <sup>2</sup> /m)	0.2193	
175	Draw No.	EI276	
	Thickness (mm)	1.17	
	Theory Weight (kg/m)	0.529	
	Exposed Surface (m <sup>2</sup> /m)	0.1388	

NO.	Item		Diagram
176	Draw No.	EI277	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.766	
	Exposed Surface (m <sup>2</sup> /m)	0.2433	
177	Draw No.	EI278	
	Thickness (mm)	1.27	
	Theory Weight (kg/m)	0.125	
	Exposed Surface (m <sup>2</sup> /m)	0.0484	
178	Draw No.	EI279	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.412	
	Exposed Surface (m <sup>2</sup> /m)	0.1465	
179	Draw No.	EI280	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.357	
	Exposed Surface (m <sup>2</sup> /m)	0.1334	
180	Draw No.	EI281	
	Thickness (mm)	1.17	
	Theory Weight (kg/m)	0.429	
	Exposed Surface (m <sup>2</sup> /m)	0.11	






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.






# EI Series diagram

NO.	Item		Diagram
181	Draw No.	EI281A	
	Thickness (mm)	1.17	
	Theory Weight (kg/m)	0.42	
	Exposed Surface (m <sup>2</sup> /m)	0.1094	
182	Draw No.	EI282	
	Thickness (mm)	1.15	
	Theory Weight (kg/m)	0.364	
	Exposed Surface (m <sup>2</sup> /m)	0.0961	
183	Draw No.	EI283	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.366	
	Exposed Surface (m <sup>2</sup> /m)	0.0546	
184	Draw No.	EI284	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.152	
	Exposed Surface (m <sup>2</sup> /m)	0.0318	
185	Draw No.	EI285	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.494	
	Exposed Surface (m <sup>2</sup> /m)	0.177	






NO.	Item		Diagram
186	Draw No.	EI287	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.192	
	Exposed Surface (m <sup>2</sup> /m)	0.0699	
187	Draw No.	EI288	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.11	
	Exposed Surface (m <sup>2</sup> /m)	0.1008	
188	Draw No.	EI291	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	1.78	
	Exposed Surface (m <sup>2</sup> /m)	0.1234	
189	Draw No.	EI292	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	1.12	
	Exposed Surface (m <sup>2</sup> /m)	0.2797	
190	Draw No.	EI293	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.897	
	Exposed Surface (m <sup>2</sup> /m)	0.1449	






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.

NO.	Item		Diagram
191	Draw No.	EI294	
	Thickness (mm)	1.7	
	Theory Weight (kg/m)	1.397	
	Exposed Surface (m <sup>2</sup> /m)	0.2168	
192	Draw No.	EI295	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.35	
	Exposed Surface (m <sup>2</sup> /m)	0.1034	
193	Draw No.	EI296	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.315	
	Exposed Surface (m <sup>2</sup> /m)	0.1234	
194	Draw No.	EI297	
	Thickness (mm)	1.25	
	Theory Weight (kg/m)	0.21	
	Exposed Surface (m <sup>2</sup> /m)	0.0578	
195	Draw No.	EI298	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.475	
	Exposed Surface (m <sup>2</sup> /m)	0.1135	






NO.	Item		Diagram
196	Draw No.	EI303	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.257	
	Exposed Surface (m <sup>2</sup> /m)	0.045	
197	Draw No.	EI307	
	Thickness (mm)	1.45	
	Theory Weight (kg/m)	0.763	
	Exposed Surface (m <sup>2</sup> /m)	0.1954	
198	Draw No.	EI308	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.896	
	Exposed Surface (m <sup>2</sup> /m)	0.229	
199	Draw No.	EI310	
	Thickness (mm)	1.45	
	Theory Weight (kg/m)	1.003	
	Exposed Surface (m <sup>2</sup> /m)	0.2264	
200	Draw No.	EI311	
	Thickness (mm)	1.45	
	Theory Weight (kg/m)	1.051	
	Exposed Surface (m <sup>2</sup> /m)	0.2376	






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.

NO.	Item		Diagram
201	Draw No.	EI312	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	1.213	
	Exposed Surface (m <sup>2</sup> /m)	0.271	
202	Draw No.	EI313	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	1.212	
	Exposed Surface (m <sup>2</sup> /m)	0.2708	
203	Draw No.	EI314	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.261	
	Exposed Surface (m <sup>2</sup> /m)	0.0448	
204	Draw No.	EI315	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.97	
	Exposed Surface (m <sup>2</sup> /m)	0.2146	
205	Draw No.	EI323	
	Thickness (mm)	1.15	
	Theory Weight (kg/m)	0.274	
	Exposed Surface (m <sup>2</sup> /m)	0.0861	






NO.	Item		Diagram
206	Draw No.	EI324	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.369	
	Exposed Surface (m <sup>2</sup> /m)	0.1237	
207	Draw No.	EI325	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.383	
	Exposed Surface (m <sup>2</sup> /m)	0.0792	
208	Draw No.	EI326	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.53	
	Exposed Surface (m <sup>2</sup> /m)	0.0776	
209	Draw No.	EI327	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.53	
	Exposed Surface (m <sup>2</sup> /m)	0.0941	
210	Draw No.	EI328	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.17	
	Exposed Surface (m <sup>2</sup> /m)	0.0318	






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.

NO.	Item		Diagram
211	Draw No.	EI329	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.22	
	Exposed Surface (m <sup>2</sup> /m)	0.0722	
212	Draw No.	EI330	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.355	
	Exposed Surface (m <sup>2</sup> /m)	0.1234	
213	Draw No.	EI331	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.436	
	Exposed Surface (m <sup>2</sup> /m)	0.1115	
214	Draw No.	EI332	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.485	
	Exposed Surface (m <sup>2</sup> /m)	0.1391	
215	Draw No.	EI333	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.382	
	Exposed Surface (m <sup>2</sup> /m)	0.0818	






NO.	Item		Diagram
216	Draw No.	EI334	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.462	
	Exposed Surface (m <sup>2</sup> /m)	0.1257	
217	Draw No.	EI334A	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.48	
	Exposed Surface (m <sup>2</sup> /m)	0.1278	
218	Draw No.	EI335	
	Thickness (mm)	2.2	
	Theory Weight (kg/m)	1.41	
	Exposed Surface (m <sup>2</sup> /m)	0.1503	
219	Draw No.	EI335A	
	Thickness (mm)	2.2	
	Theory Weight (kg/m)	1.42	
	Exposed Surface (m <sup>2</sup> /m)	0.1517	
220	Draw No.	EI336	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.543	
	Exposed Surface (m <sup>2</sup> /m)	0.1829	






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.

NO.	Item		Diagram
221	Draw No.	EI348	
	Thickness (mm)	2	
	Theory Weight (kg/m)	0.158	
	Exposed Surface (m <sup>2</sup> /m)	0.062	
222	Draw No.	EI349	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.163	
	Exposed Surface (m <sup>2</sup> /m)	0.0673	
223	Draw No.	EI350	
	Thickness (mm)	7.5	
	Theory Weight (kg/m)	10.57	
	Exposed Surface (m <sup>2</sup> /m)	0.4785	
224	Draw No.	EI351	
	Thickness (mm)	5	
	Theory Weight (kg/m)	4.901	
	Exposed Surface (m <sup>2</sup> /m)	0.2994	
225	Draw No.	EI352	
	Thickness (mm)	2	
	Theory Weight (kg/m)	0.407	
	Exposed Surface (m <sup>2</sup> /m)	0	

NO.	Item		Diagram
226	Draw No.	EI353	
	Thickness (mm)	2.2	
	Theory Weight (kg/m)	0.45	
	Exposed Surface (m <sup>2</sup> /m)	0.0885	
227	Draw No.	EI354	
	Thickness (mm)	5	
	Theory Weight (kg/m)	1.62	
	Exposed Surface (m <sup>2</sup> /m)	0	
228	Draw No.	EI355	
	Thickness (mm)	4.5	
	Theory Weight (kg/m)	3.51	
	Exposed Surface (m <sup>2</sup> /m)	0	
229	Draw No.	EI374	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.25	
	Exposed Surface (m <sup>2</sup> /m)	0.0889	
230	Draw No.	EI375	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.333	
	Exposed Surface (m <sup>2</sup> /m)	0.1635	






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.






NO.	Item		Diagram
231	Draw No.	EI376	
	Thickness (mm)	1.14	
	Theory Weight (kg/m)	0.195	
	Exposed Surface (m <sup>2</sup> /m)	0.0786	
232	Draw No.	EI377	
	Thickness (mm)	1.14	
	Theory Weight (kg/m)	0.17	
	Exposed Surface (m <sup>2</sup> /m)	0.1092	
233	Draw No.	EI378	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.25	
	Exposed Surface (m <sup>2</sup> /m)	0.1329	
234	Draw No.	EI379	
	Thickness (mm)	0.95	
	Theory Weight (kg/m)	0.082	
	Exposed Surface (m <sup>2</sup> /m)	0.0351	
235	Draw No.	EI380	
	Thickness (mm)	1.05	
	Theory Weight (kg/m)	0.138	
	Exposed Surface (m <sup>2</sup> /m)	0.0918	

NO.	Item		Diagram
236	Draw No.	EI385	
	Thickness (mm)	90.64	
	Theory Weight (kg/m)	0.247	
	Exposed Surface (m <sup>2</sup> /m)	0.0976	
237	Draw No.	EI386	
	Thickness (mm)	1.14	
	Theory Weight (kg/m)	0.263	
	Exposed Surface (m <sup>2</sup> /m)	0.1077	
238	Draw No.	EI387	
	Thickness (mm)	1.14	
	Theory Weight (kg/m)	0.25	
	Exposed Surface (m <sup>2</sup> /m)	0.1535	
239	Draw No.	EI388	
	Thickness (mm)	3.2	
	Theory Weight (kg/m)	0.851	
	Exposed Surface (m <sup>2</sup> /m)	0.2224	
240	Draw No.	EI388A	
	Thickness (mm)	2.95	
	Theory Weight (kg/m)	0.77	
	Exposed Surface (m <sup>2</sup> /m)	0.2497	

Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.













NO.	Item		Diagram
241	Draw No.	EI389	
	Thickness (mm)	1.02	
	Theory Weight (kg/m)	0.135	
	Exposed Surface (m <sup>2</sup> /m)	0.0507	
242	Draw No.	EI390	
	Thickness (mm)	1.27	
	Theory Weight (kg/m)	0.336	
	Exposed Surface (m <sup>2</sup> /m)	0.1261	
243	Draw No.	EI401	
	Thickness (mm)	1.58	
	Theory Weight (kg/m)	0.17	
	Exposed Surface (m <sup>2</sup> /m)	0.0788	
244	Draw No.	EI405	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.14	
	Exposed Surface (m <sup>2</sup> /m)	0.0342	
245	Draw No.	EI415	
	Thickness (mm)	3.55	
	Theory Weight (kg/m)	1.334	
	Exposed Surface (m <sup>2</sup> /m)	0.2266	

NO.	Item		Diagram
246	Draw No.	EI449	
	Thickness (mm)	1.58	
	Theory Weight (kg/m)	0.55	
	Exposed Surface (m <sup>2</sup> /m)	0.1336	
247	Draw No.	EI450	
	Thickness (mm)	1.27	
	Theory Weight (kg/m)	0.3	
	Exposed Surface (m <sup>2</sup> /m)	0.173	
248	Draw No.	EI452	
	Thickness (mm)	1.14	
	Theory Weight (kg/m)	0.28	
	Exposed Surface (m <sup>2</sup> /m)	0.1742	
249	Draw No.	EI461	
	Thickness (mm)	1.7	
	Theory Weight (kg/m)	0.801	
	Exposed Surface (m <sup>2</sup> /m)	0.2433	
250	Draw No.	EI464	
	Thickness (mm)	1.17	
	Theory Weight (kg/m)	0.435	
	Exposed Surface (m <sup>2</sup> /m)	0.1391	






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.






# EI Series diagram

NO.	Item		Diagram
251	Draw No.	EI487	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.22	
	Exposed Surface (m <sup>2</sup> /m)	0.1234	
252	Draw No.	EI488	
	Thickness (mm)	1.58	
	Theory Weight (kg/m)	0.074	
	Exposed Surface (m <sup>2</sup> /m)	0.0371	
253	Draw No.	EI489	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.262	
	Exposed Surface (m <sup>2</sup> /m)	0.0488	
254	Draw No.	EI490	
	Thickness (mm)	2.5	
	Theory Weight (kg/m)	1.87	
	Exposed Surface (m <sup>2</sup> /m)	0.3519	
255	Draw No.	EI491	
	Thickness (mm)	2.14	
	Theory Weight (kg/m)	0.7	
	Exposed Surface (m <sup>2</sup> /m)	0.1917	






NO.	Item		Diagram
256	Draw No.	EI491A	
	Thickness (mm)	0	
	Theory Weight (kg/m)	0	
	Exposed Surface (m <sup>2</sup> /m)	0	
257	Draw No.	EI492	
	Thickness (mm)	1.17	
	Theory Weight (kg/m)	0.41	
	Exposed Surface (m <sup>2</sup> /m)	0.1258	
258	Draw No.	EI493	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.35	
	Exposed Surface (m <sup>2</sup> /m)	0.0837	
259	Draw No.	EI494	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.17	
	Exposed Surface (m <sup>2</sup> /m)	0.086	
260	Draw No.	EI495	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.206	
	Exposed Surface (m <sup>2</sup> /m)	0.091	






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.

NO.	Item		Diagram
261	Draw No.	EI496	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.26	
	Exposed Surface (m <sup>2</sup> /m)	0.1561	
262	Draw No.	EI497	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.25	
	Exposed Surface (m <sup>2</sup> /m)	0.1022	
263	Draw No.	EI498	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.239	
	Exposed Surface (m <sup>2</sup> /m)	0.1122	
264	Draw No.	EI499	
	Thickness (mm)	1.02	
	Theory Weight (kg/m)	0.13	
	Exposed Surface (m <sup>2</sup> /m)	0.0616	
265	Draw No.	EI500	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.23	
	Exposed Surface (m <sup>2</sup> /m)	0.108	






NO.	Item		Diagram
266	Draw No.	EI501	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.23	
	Exposed Surface (m <sup>2</sup> /m)	0.0561	
267	Draw No.	EI502	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.24	
	Exposed Surface (m <sup>2</sup> /m)	0.1031	
268	Draw No.	EI503	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.26	
	Exposed Surface (m <sup>2</sup> /m)	0.1271	
269	Draw No.	EI504	
	Thickness (mm)	1.58	
	Theory Weight (kg/m)	0.846	
	Exposed Surface (m <sup>2</sup> /m)	0.2032	
270	Draw No.	EI505	
	Thickness (mm)	1.6	
	Theory Weight (kg/m)	0.746	
	Exposed Surface (m <sup>2</sup> /m)	0.1778	






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.

NO.	Item		Diagram
271	Draw No.	EI506	
	Thickness (mm)	1.58	
	Theory Weight (kg/m)	0.169	
	Exposed Surface (m <sup>2</sup> /m)	0.0788	
272	Draw No.	EI514A	
	Thickness (mm)	1.14	
	Theory Weight (kg/m)	0.46	
	Exposed Surface (m <sup>2</sup> /m)	0.2345	
273	Draw No.	EI515A	
	Thickness (mm)	1.14	
	Theory Weight (kg/m)	0.468	
	Exposed Surface (m <sup>2</sup> /m)	0.2361	
274	Draw No.	EI521	
	Thickness (mm)	3.1	
	Theory Weight (kg/m)	0.72	
	Exposed Surface (m <sup>2</sup> /m)	0.1007	
275	Draw No.	EI523	
	Thickness (mm)	1.52	
	Theory Weight (kg/m)	0.59	
	Exposed Surface (m <sup>2</sup> /m)	0.1797	






NO.	Item		Diagram
276	Draw No.	EI524	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.26	
	Exposed Surface (m <sup>2</sup> /m)	0.119	
277	Draw No.	EI525	
	Thickness (mm)	2.5	
	Theory Weight (kg/m)	2.36	
	Exposed Surface (m <sup>2</sup> /m)	0.2612	
278	Draw No.	EI525A	
	Thickness (mm)	2.5	
	Theory Weight (kg/m)	3.048	
	Exposed Surface (m <sup>2</sup> /m)	0.3628	
279	Draw No.	EI528	
	Thickness (mm)	2.4	
	Theory Weight (kg/m)	0.332	
	Exposed Surface (m <sup>2</sup> /m)	0.1084	
280	Draw No.	EI529	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.66	
	Exposed Surface (m <sup>2</sup> /m)	0.1932	






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.

NO.	Item		Diagram
281	Draw No.	EI530	
	Thickness (mm)	2	
	Theory Weight (kg/m)	1.34	
	Exposed Surface (m <sup>2</sup> /m)	0.2533	
282	Draw No.	EI531	
	Thickness (mm)	2	
	Theory Weight (kg/m)	0.89	
	Exposed Surface (m <sup>2</sup> /m)	0.1933	
283	Draw No.	EI532	
	Thickness (mm)	1.27	
	Theory Weight (kg/m)	0.344	
	Exposed Surface (m <sup>2</sup> /m)	0.1162	
284	Draw No.	EI533	
	Thickness (mm)	1.27	
	Theory Weight (kg/m)	0.252	
	Exposed Surface (m <sup>2</sup> /m)	0.0616	
285	Draw No.	EI534	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.131	
	Exposed Surface (m <sup>2</sup> /m)	0.0332	






NO.	Item		Diagram
286	Draw No.	EI535	
	Thickness (mm)	1.15	
	Theory Weight (kg/m)	0.275	
	Exposed Surface (m <sup>2</sup> /m)	0.1302	
287	Draw No.	EI536	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.91	
	Exposed Surface (m <sup>2</sup> /m)	0.2404	
288	Draw No.	EI537	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.35	
	Exposed Surface (m <sup>2</sup> /m)	0.1539	
289	Draw No.	EI538	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.37	
	Exposed Surface (m <sup>2</sup> /m)	0.1725	
290	Draw No.	EI539	
	Thickness (mm)	1.6	
	Theory Weight (kg/m)	0.98	
	Exposed Surface (m <sup>2</sup> /m)	0.3206	






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.

NO.	Item		Diagram
291	Draw No.	EI540	
	Thickness (mm)	1.6	
	Theory Weight (kg/m)	0.797	
	Exposed Surface (m <sup>2</sup> /m)	0.2092	
292	Draw No.	EI541	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.78	
	Exposed Surface (m <sup>2</sup> /m)	0.2934	
293	Draw No.	EI542	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.72	
	Exposed Surface (m <sup>2</sup> /m)	0.1401	
294	Draw No.	EI543	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.11	
	Exposed Surface (m <sup>2</sup> /m)	0.0309	
295	Draw No.	EI544	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.905	
	Exposed Surface (m <sup>2</sup> /m)	0.2936	






NO.	Item		Diagram
296	Draw No.	EI545	
	Thickness (mm)	1.6	
	Theory Weight (kg/m)	0.79	
	Exposed Surface (m <sup>2</sup> /m)	0.159	
297	Draw No.	EI546	
	Thickness (mm)	1.6	
	Theory Weight (kg/m)	0.73	
	Exposed Surface (m <sup>2</sup> /m)	0.1781	
298	Draw No.	EI547	
	Thickness (mm)	1.6	
	Theory Weight (kg/m)	0.69	
	Exposed Surface (m <sup>2</sup> /m)	0.1475	
299	Draw No.	EI548	
	Thickness (mm)	1.58	
	Theory Weight (kg/m)	0.09	
	Exposed Surface (m <sup>2</sup> /m)	0.0444	
300	Draw No.	EI549	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.64	
	Exposed Surface (m <sup>2</sup> /m)	0.2462	






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.

NO.	Item		Diagram
301	Draw No.	EI550	
	Thickness (mm)	1.14	
	Theory Weight (kg/m)	0.97	
	Exposed Surface (m <sup>2</sup> /m)	0.6279	
302	Draw No.	EI551	
	Thickness (mm)	1.14	
	Theory Weight (kg/m)	0.45	
	Exposed Surface (m <sup>2</sup> /m)	0.2407	
303	Draw No.	EI552	
	Thickness (mm)	12.25	
	Theory Weight (kg/m)	1.163	
	Exposed Surface (m <sup>2</sup> /m)	0.0891	
304	Draw No.	EI553	
	Thickness (mm)	3.76	
	Theory Weight (kg/m)	3.88	
	Exposed Surface (m <sup>2</sup> /m)	0.2728	
305	Draw No.	EI554	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.775	
	Exposed Surface (m <sup>2</sup> /m)	0.2168	

NO.	Item		Diagram
306	Draw No.	EI555	
	Thickness (mm)	1.8	
	Theory Weight (kg/m)	0.98	
	Exposed Surface (m <sup>2</sup> /m)	0.1546	
307	Draw No.	EI556	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	1.01	
	Exposed Surface (m <sup>2</sup> /m)	0.1634	
308	Draw No.	EI557	
	Thickness (mm)	1.6	
	Theory Weight (kg/m)	0.73	
	Exposed Surface (m <sup>2</sup> /m)	0.1926	
309	Draw No.	EI601	
	Thickness (mm)	1.6	
	Theory Weight (kg/m)	0.99	
	Exposed Surface (m <sup>2</sup> /m)	0.1585	
310	Draw No.	EI602	
	Thickness (mm)	1.8	
	Theory Weight (kg/m)	0.945	
	Exposed Surface (m <sup>2</sup> /m)	0.1678	






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.






NO.	Item		Diagram
311	Draw No.	EI603	
	Thickness (mm)	1.6	
	Theory Weight (kg/m)	1.15	
	Exposed Surface (m <sup>2</sup> /m)	0.2313	
312	Draw No.	EI604	
	Thickness (mm)	1.6	
	Theory Weight (kg/m)	0.64	
	Exposed Surface (m <sup>2</sup> /m)	0.1524	
313	Draw No.	EI611	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.39	
	Exposed Surface (m <sup>2</sup> /m)	0.1953	
314	Draw No.	EI627	
	Thickness (mm)	10	
	Theory Weight (kg/m)	12.04	
	Exposed Surface (m <sup>2</sup> /m)	0.4826	
315	Draw No.	EI631	
	Thickness (mm)	1.6	
	Theory Weight (kg/m)	0.583	
	Exposed Surface (m <sup>2</sup> /m)	0.1205	

NO.	Item		Diagram
316	Draw No.	EI632	
	Thickness (mm)	1.6	
	Theory Weight (kg/m)	0.78	
	Exposed Surface (m <sup>2</sup> /m)	0.1621	
317	Draw No.	EI633	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.32	
	Exposed Surface (m <sup>2</sup> /m)	0.1767	
318	Draw No.	EI634	
	Thickness (mm)	1.14	
	Theory Weight (kg/m)	0.58	
	Exposed Surface (m <sup>2</sup> /m)	0.3336	
319	Draw No.	EI658	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.19	
	Exposed Surface (m <sup>2</sup> /m)	0.1006	
320	Draw No.	EI659	
	Thickness (mm)	4.8	
	Theory Weight (kg/m)	0.65	
	Exposed Surface (m <sup>2</sup> /m)	0.099	






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.













NO.	Item		Diagram
321	Draw No.	EI691	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.18	
	Exposed Surface (m <sup>2</sup> /m)	0.0738	
322	Draw No.	EI692	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.19	
	Exposed Surface (m <sup>2</sup> /m)	0.0738	
323	Draw No.	EI693	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.461	
	Exposed Surface (m <sup>2</sup> /m)	0.209	
324	Draw No.	EI694	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.4	
	Exposed Surface (m <sup>2</sup> /m)	0.209	
325	Draw No.	EI722	
	Thickness (mm)	1.8	
	Theory Weight (kg/m)	1.96	
	Exposed Surface (m <sup>2</sup> /m)	0.4064	

NO.	Item		Diagram
326	Draw No.	EI729	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.28	
	Exposed Surface (m <sup>2</sup> /m)	0.1935	
327	Draw No.	EI762	
	Thickness (mm)	1.6	
	Theory Weight (kg/m)	0.38	
	Exposed Surface (m <sup>2</sup> /m)	0.0751	
328	Draw No.	EI763	
	Thickness (mm)	1.05	
	Theory Weight (kg/m)	0.164	
	Exposed Surface (m <sup>2</sup> /m)	0.1135	
329	Draw No.	EI764	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.38	
	Exposed Surface (m <sup>2</sup> /m)	0.106	
330	Draw No.	EI786	
	Thickness (mm)	1.17	
	Theory Weight (kg/m)	0.731	
	Exposed Surface (m <sup>2</sup> /m)	0.1809	

Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.

NO.	Item		Diagram
331	Draw No.	EI787	
	Thickness (mm)	1.17	
	Theory Weight (kg/m)	0.654	
	Exposed Surface (m <sup>2</sup> /m)	0.1398	
332	Draw No.	EI788	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.798	
	Exposed Surface (m <sup>2</sup> /m)	0.251	
333	Draw No.	EI789	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	1.149	
	Exposed Surface (m <sup>2</sup> /m)	0.35	
334	Draw No.	EI790	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.574	
	Exposed Surface (m <sup>2</sup> /m)	0.2281	
335	Draw No.	EI791	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.924	
	Exposed Surface (m <sup>2</sup> /m)	0.3108	

NO.	Item		Diagram
336	Draw No.	EI792	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.193	
	Exposed Surface (m <sup>2</sup> /m)	0.098	
337	Draw No.	EI793	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.607	
	Exposed Surface (m <sup>2</sup> /m)	0.1778	
338	Draw No.	EI794	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.52	
	Exposed Surface (m <sup>2</sup> /m)	0.159	
339	Draw No.	EI797	
	Thickness (mm)	1.17	
	Theory Weight (kg/m)	0.484	
	Exposed Surface (m <sup>2</sup> /m)	0.139	
340	Draw No.	EI798	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.164	
	Exposed Surface (m <sup>2</sup> /m)	0.0871	

NO.	Item		Diagram
341	Draw No.	EI801	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.93	
	Exposed Surface (m <sup>2</sup> /m)	0.1686	
342	Draw No.	EI808	
	Thickness (mm)	0.95	
	Theory Weight (kg/m)	0.072	
	Exposed Surface (m <sup>2</sup> /m)	0.0569	
343	Draw No.	EI809	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	1.207	
	Exposed Surface (m <sup>2</sup> /m)	0.187	
344	Draw No.	EI810	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.069	
	Exposed Surface (m <sup>2</sup> /m)	0.0519	
345	Draw No.	EI811	
	Thickness (mm)	2	
	Theory Weight (kg/m)	0.402	
	Exposed Surface (m <sup>2</sup> /m)	0.152	

NO.	Item		Diagram
346	Draw No.		
	Thickness (mm)		
	Theory Weight (kg/m)		
	Exposed Surface (m <sup>2</sup> /m)		
347	Draw No.		
	Thickness (mm)		
	Theory Weight (kg/m)		
	Exposed Surface (m <sup>2</sup> /m)		
348	Draw No.		
	Thickness (mm)		
	Theory Weight (kg/m)		
	Exposed Surface (m <sup>2</sup> /m)		
349	Draw No.		
	Thickness (mm)		
	Theory Weight (kg/m)		
	Exposed Surface (m <sup>2</sup> /m)		
350	Draw No.		
	Thickness (mm)		
	Theory Weight (kg/m)		
	Exposed Surface (m <sup>2</sup> /m)		