































| NO. | Item | | Diagram | NO. | Item | | Diagram |
|-----|-------------------------------------|-----------|---|-----|-------------------------------------|-----------|---|
| 1 | Draw No. | DC-VC037 |  | 6 | Draw No. | DC-VC039 |  |
| | Thickness (mm) | 1 | | | Thickness (mm) | 0.85 | |
| | Theory Weight (kg/m) | 0.46 | | | Theory Weight (kg/m) | 0.39 | |
| | Exposed Surface (m ² /m) | 0.1486 | | | Exposed Surface (m ² /m) | 0.1068 | |
| 2 | Draw No. | DC-VC037A |  | 7 | Draw No. | DC-VC040 |  |
| | Thickness (mm) | 0.9 | | | Thickness (mm) | 1 | |
| | Theory Weight (kg/m) | 0.41 | | | Theory Weight (kg/m) | 0.46 | |
| | Exposed Surface (m ² /m) | 0.1486 | | | Exposed Surface (m ² /m) | 0.1432 | |
| 3 | Draw No. | DC-VC038 |  | 8 | Draw No. | DC-VC040A |  |
| | Thickness (mm) | 1.1 | | | Thickness (mm) | 0.9 | |
| | Theory Weight (kg/m) | 0.41 | | | Theory Weight (kg/m) | 0.43 | |
| | Exposed Surface (m ² /m) | 0.1706 | | | Exposed Surface (m ² /m) | 0.1432 | |
| 4 | Draw No. | DC-VC038A |  | 9 | Draw No. | DC-VC041 |  |
| | Thickness (mm) | 0.9 | | | Thickness (mm) | 0.85 | |
| | Theory Weight (kg/m) | 0.35 | | | Theory Weight (kg/m) | 0.42 | |
| | Exposed Surface (m ² /m) | 0.1706 | | | Exposed Surface (m ² /m) | 0.2523 | |
| 5 | Draw No. | DC-VC038B |  | 10 | Draw No. | DC-VC041A |  |
| | Thickness (mm) | 1.3 | | | Thickness (mm) | 0.95 | |
| | Theory Weight (kg/m) | 0.459 | | | Theory Weight (kg/m) | 0.464 | |
| | Exposed Surface (m ² /m) | 0.1706 | | | Exposed Surface (m ² /m) | 0.2552 | |






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.






| NO. | Item | | Diagram |
|-----|-------------------------------------|-----------|---|
| 11 | Draw No. | DC-VC042 |  |
| | Thickness (mm) | 0.85 | |
| | Theory Weight (kg/m) | 0.46 | |
| | Exposed Surface (m ² /m) | 0.2166 | |
| 12 | Draw No. | DC-VC042A |  |
| | Thickness (mm) | 0.95 | |
| | Theory Weight (kg/m) | 0.493 | |
| | Exposed Surface (m ² /m) | 0.2168 | |
| 13 | Draw No. | DC-VC043 |  |
| | Thickness (mm) | 0.8 | |
| | Theory Weight (kg/m) | 0.46 | |
| | Exposed Surface (m ² /m) | 0.2647 | |
| 14 | Draw No. | DC-VC044 |  |
| | Thickness (mm) | 0.85 | |
| | Theory Weight (kg/m) | 0.42 | |
| | Exposed Surface (m ² /m) | 0.2166 | |
| 15 | Draw No. | DC-VC045 |  |
| | Thickness (mm) | 0.9 | |
| | Theory Weight (kg/m) | 0.27 | |
| | Exposed Surface (m ² /m) | 0.1221 | |






| NO. | Item | | Diagram |
|-----|-------------------------------------|-----------|---|
| 16 | Draw No. | DC-VC045H |  |
| | Thickness (mm) | 0.8 | |
| | Theory Weight (kg/m) | 0.239 | |
| | Exposed Surface (m ² /m) | 0.2168 | |
| 17 | Draw No. | DC-VC046 |  |
| | Thickness (mm) | 0.85 | |
| | Theory Weight (kg/m) | 0.3 | |
| | Exposed Surface (m ² /m) | 0.1674 | |
| 18 | Draw No. | DC-VC046H |  |
| | Thickness (mm) | 0.83 | |
| | Theory Weight (kg/m) | 0.275 | |
| | Exposed Surface (m ² /m) | 0.2366 | |
| 19 | Draw No. | DC-VC047 |  |
| | Thickness (mm) | 0.8 | |
| | Theory Weight (kg/m) | 0.28 | |
| | Exposed Surface (m ² /m) | 0.2449 | |
| 20 | Draw No. | DC-VC047A |  |
| | Thickness (mm) | 0.95 | |
| | Theory Weight (kg/m) | 0.32 | |
| | Exposed Surface (m ² /m) | 0.2443 | |






| NO. | Item | | Diagram | NO. | Item | | Diagram |
|-----|-------------------------------------|-----------|---|-----|-------------------------------------|-----------|---|
| 21 | Draw No. | DC-VC047B |  | 26 | Draw No. | DC-VC049 |  |
| | Thickness (mm) | 1.1 | | | Thickness (mm) | 0.85 | |
| | Theory Weight (kg/m) | 0.37 | | | Theory Weight (kg/m) | 0.41 | |
| | Exposed Surface (m ² /m) | 0.2435 | | | Exposed Surface (m ² /m) | 0.2169 | |
| 22 | Draw No. | DC-VC047C |  | 27 | Draw No. | DC-VC049H |  |
| | Thickness (mm) | 1.49 | | | Thickness (mm) | 0.8 | |
| | Theory Weight (kg/m) | 0.493 | | | Theory Weight (kg/m) | 0.398 | |
| | Exposed Surface (m ² /m) | 0.2441 | | | Exposed Surface (m ² /m) | 0.2151 | |
| 23 | Draw No. | DC-VC047H |  | 28 | Draw No. | DC-VC050 |  |
| | Thickness (mm) | 0.85 | | | Thickness (mm) | 1 | |
| | Theory Weight (kg/m) | 0.281 | | | Theory Weight (kg/m) | 0.29 | |
| | Exposed Surface (m ² /m) | 0.2422 | | | Exposed Surface (m ² /m) | 0.0408 | |
| 24 | Draw No. | DC-VC048 |  | 29 | Draw No. | DC-VC051 |  |
| | Thickness (mm) | 0.95 | | | Thickness (mm) | 0.9 | |
| | Theory Weight (kg/m) | 0.06 | | | Theory Weight (kg/m) | 0.162 | |
| | Exposed Surface (m ² /m) | 0.0239 | | | Exposed Surface (m ² /m) | 0.0287 | |
| 25 | Draw No. | DC-VC048H |  | 30 | Draw No. | DC-VC055 |  |
| | Thickness (mm) | 0.85 | | | Thickness (mm) | 1.2 | |
| | Theory Weight (kg/m) | 0.05 | | | Theory Weight (kg/m) | 0.938 | |
| | Exposed Surface (m ² /m) | 0.0445 | | | Exposed Surface (m ² /m) | 0.2922 | |






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.






| NO. | Item | | Diagram |
|-----|-------------------------------------|----------|---|
| 31 | Draw No. | DC-VC056 |  |
| | Thickness (mm) | 1.2 | |
| | Theory Weight (kg/m) | 0.98 | |
| | Exposed Surface (m ² /m) | 0.3176 | |
| 32 | Draw No. | DC-VC057 |  |
| | Thickness (mm) | 0.9 | |
| | Theory Weight (kg/m) | 0.432 | |
| | Exposed Surface (m ² /m) | 0.178 | |
| 33 | Draw No. | DC-VC058 |  |
| | Thickness (mm) | 1.4 | |
| | Theory Weight (kg/m) | 0.885 | |
| | Exposed Surface (m ² /m) | 0.1431 | |
| 34 | Draw No. | DC-VC060 |  |
| | Thickness (mm) | 1.5 | |
| | Theory Weight (kg/m) | 0.25 | |
| | Exposed Surface (m ² /m) | 0.0535 | |
| 35 | Draw No. | DC-VC061 |  |
| | Thickness (mm) | 1.5 | |
| | Theory Weight (kg/m) | 0.441 | |
| | Exposed Surface (m ² /m) | 0.1009 | |











| NO. | Item | | Diagram |
|-----|-------------------------------------|----------|---|
| 36 | Draw No. | DC-VC062 |  |
| | Thickness (mm) | 1.45 | |
| | Theory Weight (kg/m) | 0.45 | |
| | Exposed Surface (m ² /m) | 0.1131 | |
| 37 | Draw No. | DC-VC063 |  |
| | Thickness (mm) | 2 | |
| | Theory Weight (kg/m) | 1.87 | |
| | Exposed Surface (m ² /m) | 0.2474 | |
| 38 | Draw No. | DC-VC064 |  |
| | Thickness (mm) | 1.4 | |
| | Theory Weight (kg/m) | 0.3 | |
| | Exposed Surface (m ² /m) | 0.0088 | |
| 39 | Draw No. | DC-VC065 |  |
| | Thickness (mm) | 1 | |
| | Theory Weight (kg/m) | 0.19 | |
| | Exposed Surface (m ² /m) | 0.0672 | |
| 40 | Draw No. | DC-VC066 |  |
| | Thickness (mm) | 1.4 | |
| | Theory Weight (kg/m) | 0.69 | |
| | Exposed Surface (m ² /m) | 0.1958 | |






| NO. | Item | | Diagram |
|-----|-------------------------------------|----------|--|
| 41 | Draw No. | DC-VC069 |  <p>20.8 24.4 20 24.4 *16.34</p> |
| | Thickness (mm) | 1 | |
| | Theory Weight (kg/m) | 0.21 | |
| | Exposed Surface (m ² /m) | 0.0408 | |
| 42 | Draw No. | DC-VC072 |  <p>25.9±0.2 *18.2±0.2 20.5±0.2 12.9 16.5</p> |
| | Thickness (mm) | 1.4 | |
| | Theory Weight (kg/m) | 0.22 | |
| | Exposed Surface (m ² /m) | 0.0464 | |
| 43 | Draw No. | DC-VC076 |  <p>114.6 41 137.2 R.9</p> |
| | Thickness (mm) | 1.65 | |
| | Theory Weight (kg/m) | 1.952 | |
| | Exposed Surface (m ² /m) | 0.2619 | |
| 44 | Draw No. | DC-VC077 |  <p>21.95 17.45</p> |
| | Thickness (mm) | 0.95 | |
| | Theory Weight (kg/m) | 0.16 | |
| | Exposed Surface (m ² /m) | 0.1145 | |
| 45 | Draw No. | DC-VC078 |  <p>32.05 8 21.84</p> |
| | Thickness (mm) | 0.95 | |
| | Theory Weight (kg/m) | 0.195 | |
| | Exposed Surface (m ² /m) | 0.1469 | |






| NO. | Item | | Diagram |
|-----|-------------------------------------|----------|--|
| 46 | Draw No. | DC-VC079 |  <p>20 30.5±0.2 5.6±0.15</p> |
| | Thickness (mm) | 0.8 | |
| | Theory Weight (kg/m) | 0.11 | |
| | Exposed Surface (m ² /m) | 0.0389 | |
| 47 | Draw No. | DC-VC080 |  <p>21.43 21.36 21.43 24.43</p> |
| | Thickness (mm) | 0.95 | |
| | Theory Weight (kg/m) | 0.194 | |
| | Exposed Surface (m ² /m) | 0.0813 | |
| 48 | Draw No. | DC-VC081 |  <p>25.4 20.7 38.74 69.98</p> |
| | Thickness (mm) | 1.8 | |
| | Theory Weight (kg/m) | 0.636 | |
| | Exposed Surface (m ² /m) | 0.2299 | |
| 49 | Draw No. | DC-VC083 |  <p>52.37 44.45</p> |
| | Thickness (mm) | 1.4 | |
| | Theory Weight (kg/m) | 0.806 | |
| | Exposed Surface (m ² /m) | 0.1798 | |
| 50 | Draw No. | DC-VC084 |  <p>76.2 43.18</p> |
| | Thickness (mm) | 1.4 | |
| | Theory Weight (kg/m) | 0.96 | |
| | Exposed Surface (m ² /m) | 0.1798 | |






| NO. | Item | | Diagram |
|-----|-------------------------------------|----------|---|
| 51 | Draw No. | DC-VC094 |  |
| | Thickness (mm) | 1.1 | |
| | Theory Weight (kg/m) | 0.85 | |
| | Exposed Surface (m ² /m) | 0.3199 | |
| 52 | Draw No. | DC-VC095 |  |
| | Thickness (mm) | 1.1 | |
| | Theory Weight (kg/m) | 0.91 | |
| | Exposed Surface (m ² /m) | 0.393 | |
| 53 | Draw No. | DC-VC096 |  |
| | Thickness (mm) | 1.1 | |
| | Theory Weight (kg/m) | 0.647 | |
| | Exposed Surface (m ² /m) | 0.2327 | |
| 54 | Draw No. | DC-VC097 |  |
| | Thickness (mm) | 1.1 | |
| | Theory Weight (kg/m) | 0.704 | |
| | Exposed Surface (m ² /m) | 0.2606 | |
| 55 | Draw No. | DC-VC098 |  |
| | Thickness (mm) | 1.4 | |
| | Theory Weight (kg/m) | 0.752 | |
| | Exposed Surface (m ² /m) | 0.167 | |






| NO. | Item | | Diagram |
|-----|-------------------------------------|----------|---|
| 56 | Draw No. | DC-VC099 |  |
| | Thickness (mm) | 1.3 | |
| | Theory Weight (kg/m) | 1.171 | |
| | Exposed Surface (m ² /m) | 0.2541 | |
| 57 | Draw No. | DC-VC100 |  |
| | Thickness (mm) | 1.55 | |
| | Theory Weight (kg/m) | 0.12 | |
| | Exposed Surface (m ² /m) | 0.076 | |
| 58 | Draw No. | DC-VC101 |  |
| | Thickness (mm) | 1.4 | |
| | Theory Weight (kg/m) | 0.736 | |
| | Exposed Surface (m ² /m) | 0.216 | |
| 59 | Draw No. | DC-VC102 |  |
| | Thickness (mm) | 1.3 | |
| | Theory Weight (kg/m) | 0.29 | |
| | Exposed Surface (m ² /m) | 0.1642 | |
| 60 | Draw No. | DC-VC103 |  |
| | Thickness (mm) | 1.2 | |
| | Theory Weight (kg/m) | 0.306 | |
| | Exposed Surface (m ² /m) | 0.113 | |






| NO. | Item | | Diagram | NO. | Item | | Diagram |
|-----|-------------------------------------|----------|---|-----|-------------------------------------|----------|---|
| 61 | Draw No. | DC-VC104 |  | 66 | Draw No. | DC-VC116 |  |
| | Thickness (mm) | 1.2 | | | Thickness (mm) | 1.3 | |
| | Theory Weight (kg/m) | 0.21 | | | Theory Weight (kg/m) | 0.83 | |
| | Exposed Surface (m ² /m) | 0.13 | | | Exposed Surface (m ² /m) | 0.1554 | |
| 62 | Draw No. | DC-VC105 |  | 67 | Draw No. | DC-VC117 |  |
| | Thickness (mm) | 1.2 | | | Thickness (mm) | 1.3 | |
| | Theory Weight (kg/m) | 0.3 | | | Theory Weight (kg/m) | 0.33 | |
| | Exposed Surface (m ² /m) | 0.1848 | | | Exposed Surface (m ² /m) | 0.1072 | |
| 63 | Draw No. | DC-VC106 |  | 68 | Draw No. | DC-VC118 |  |
| | Thickness (mm) | 1.3 | | | Thickness (mm) | 1 | |
| | Theory Weight (kg/m) | 0.194 | | | Theory Weight (kg/m) | 0.33 | |
| | Exposed Surface (m ² /m) | 0.0601 | | | Exposed Surface (m ² /m) | 0.158 | |
| 64 | Draw No. | DC-VC114 |  | 69 | Draw No. | DC-VC123 |  |
| | Thickness (mm) | 1.4 | | | Thickness (mm) | 1.57 | |
| | Theory Weight (kg/m) | 0.52 | | | Theory Weight (kg/m) | 0.509 | |
| | Exposed Surface (m ² /m) | 0.1191 | | | Exposed Surface (m ² /m) | 0.2407 | |
| 65 | Draw No. | DC-VC115 |  | 70 | Draw No. | DC-VC124 |  |
| | Thickness (mm) | 1.2 | | | Thickness (mm) | 1 | |
| | Theory Weight (kg/m) | 0.164 | | | Theory Weight (kg/m) | 0.337 | |
| | Exposed Surface (m ² /m) | 0.0625 | | | Exposed Surface (m ² /m) | 0.2459 | |






| NO. | Item | | Diagram |
|-----|-------------------------------------|----------|---|
| 71 | Draw No. | DC-VC125 |  |
| | Thickness (mm) | 1.1 | |
| | Theory Weight (kg/m) | 0.51 | |
| | Exposed Surface (m ² /m) | 0.1663 | |
| 72 | Draw No. | DC-VC126 |  |
| | Thickness (mm) | 1 | |
| | Theory Weight (kg/m) | 0.46 | |
| | Exposed Surface (m ² /m) | 0.1952 | |
| 73 | Draw No. | DC-VC127 |  |
| | Thickness (mm) | 1.1 | |
| | Theory Weight (kg/m) | 0.41 | |
| | Exposed Surface (m ² /m) | 0.1598 | |
| 74 | Draw No. | DC-VC128 |  |
| | Thickness (mm) | 1 | |
| | Theory Weight (kg/m) | 0.481 | |
| | Exposed Surface (m ² /m) | 0.2033 | |
| 75 | Draw No. | DC-VC129 |  |
| | Thickness (mm) | 1 | |
| | Theory Weight (kg/m) | 0.59 | |
| | Exposed Surface (m ² /m) | 0.3096 | |











| NO. | Item | | Diagram |
|-----|-------------------------------------|----------|---|
| 76 | Draw No. | DC-VC130 |  |
| | Thickness (mm) | 1 | |
| | Theory Weight (kg/m) | 0.51 | |
| | Exposed Surface (m ² /m) | 0.2457 | |
| 77 | Draw No. | DC-VC131 |  |
| | Thickness (mm) | 1 | |
| | Theory Weight (kg/m) | 0.85 | |
| | Exposed Surface (m ² /m) | 0.3933 | |
| 78 | Draw No. | DC-VC132 |  |
| | Thickness (mm) | 1 | |
| | Theory Weight (kg/m) | 0.6 | |
| | Exposed Surface (m ² /m) | 0.2613 | |
| 79 | Draw No. | DC-VC133 |  |
| | Thickness (mm) | 1 | |
| | Theory Weight (kg/m) | 0.79 | |
| | Exposed Surface (m ² /m) | 0.3296 | |
| 80 | Draw No. | DC-VC134 |  |
| | Thickness (mm) | 1.2 | |
| | Theory Weight (kg/m) | 0.654 | |
| | Exposed Surface (m ² /m) | 0.2217 | |

| NO. | Item | | Diagram |
|-----|-------------------------------------|----------|---|
| 81 | Draw No. | DC-VC135 |  |
| | Thickness (mm) | 1.2 | |
| | Theory Weight (kg/m) | 0.737 | |
| | Exposed Surface (m ² /m) | 0.2237 | |
| 82 | Draw No. | DC-VC136 |  |
| | Thickness (mm) | 1.2 | |
| | Theory Weight (kg/m) | 0.604 | |
| | Exposed Surface (m ² /m) | 0.2116 | |
| 83 | Draw No. | DC-VC139 |  |
| | Thickness (mm) | 1.2 | |
| | Theory Weight (kg/m) | 0.694 | |
| | Exposed Surface (m ² /m) | 0.2581 | |
| 84 | Draw No. | DC-VC140 |  |
| | Thickness (mm) | 1.2 | |
| | Theory Weight (kg/m) | 1.33 | |
| | Exposed Surface (m ² /m) | 0.3964 | |
| 85 | Draw No. | DC-VC145 |  |
| | Thickness (mm) | 1.3 | |
| | Theory Weight (kg/m) | 0.577 | |
| | Exposed Surface (m ² /m) | 0.1137 | |






| NO. | Item | | Diagram |
|-----|-------------------------------------|----------|---|
| 86 | Draw No. | DC-VC146 |  |
| | Thickness (mm) | 1.3 | |
| | Theory Weight (kg/m) | 0.38 | |
| | Exposed Surface (m ² /m) | 0.0838 | |
| 87 | Draw No. | DC-VC147 |  |
| | Thickness (mm) | 1.1 | |
| | Theory Weight (kg/m) | 1.077 | |
| | Exposed Surface (m ² /m) | 0.2433 | |
| 88 | Draw No. | DC-VC148 |  |
| | Thickness (mm) | 1.1 | |
| | Theory Weight (kg/m) | 0.75 | |
| | Exposed Surface (m ² /m) | 0.1629 | |
| 89 | Draw No. | DC-VC149 |  |
| | Thickness (mm) | 1.3 | |
| | Theory Weight (kg/m) | 1.212 | |
| | Exposed Surface (m ² /m) | 0.2173 | |
| 90 | Draw No. | DC-VC151 |  |
| | Thickness (mm) | 1.1 | |
| | Theory Weight (kg/m) | 0.406 | |
| | Exposed Surface (m ² /m) | 0.1526 | |






| NO. | Item | | Diagram |
|-----|-------------------------------------|----------|---|
| 91 | Draw No. | DC-VC153 |  |
| | Thickness (mm) | 1.5 | |
| | Theory Weight (kg/m) | 0.66 | |
| | Exposed Surface (m ² /m) | 0.1308 | |
| 92 | Draw No. | DC-VC156 |  |
| | Thickness (mm) | 1.6 | |
| | Theory Weight (kg/m) | 0.36 | |
| | Exposed Surface (m ² /m) | 0.1313 | |
| 93 | Draw No. | DC-VC157 |  |
| | Thickness (mm) | 7.9 | |
| | Theory Weight (kg/m) | 2.013 | |
| | Exposed Surface (m ² /m) | 0.2032 | |
| 94 | Draw No. | DC-VC158 |  |
| | Thickness (mm) | 4 | |
| | Theory Weight (kg/m) | 0.838 | |
| | Exposed Surface (m ² /m) | 0.1641 | |
| 95 | Draw No. | DC-VC159 |  |
| | Thickness (mm) | 3.5 | |
| | Theory Weight (kg/m) | 0.741 | |
| | Exposed Surface (m ² /m) | 0.1816 | |





| NO. | Item | | Diagram |
|-----|-------------------------------------|----------|---|
| 96 | Draw No. | DC-VC160 |  |
| | Thickness (mm) | 2 | |
| | Theory Weight (kg/m) | 1.039 | |
| | Exposed Surface (m ² /m) | 0.2586 | |
| 97 | Draw No. | DC-VC168 |  |
| | Thickness (mm) | 1.3 | |
| | Theory Weight (kg/m) | 0.148 | |
| | Exposed Surface (m ² /m) | 0.0695 | |
| 98 | Draw No. | DC-VC169 |  |
| | Thickness (mm) | 1.4 | |
| | Theory Weight (kg/m) | 0.898 | |
| | Exposed Surface (m ² /m) | 0.2414 | |
| 99 | Draw No. | DC-VC170 |  |
| | Thickness (mm) | 1.28 | |
| | Theory Weight (kg/m) | 0.378 | |
| | Exposed Surface (m ² /m) | 0.1136 | |
| 100 | Draw No. | DC-VC171 |  |
| | Thickness (mm) | 1.4 | |
| | Theory Weight (kg/m) | 1.578 | |
| | Exposed Surface (m ² /m) | 0.5546 | |

| NO. | Item | | Diagram | NO. | Item | | Diagram |
|-----|-------------------------------------|----------|---|-----|-------------------------------------|----------|---|
| 101 | Draw No. | DC-VC172 |  | 106 | Draw No. | DC-VC180 |  |
| | Thickness (mm) | 1.4 | | | Thickness (mm) | 1.1 | |
| | Theory Weight (kg/m) | 1.12 | | | Theory Weight (kg/m) | 0.516 | |
| | Exposed Surface (m ² /m) | 0.4044 | | | Exposed Surface (m ² /m) | 0.1476 | |
| 102 | Draw No. | DC-VC173 |  | 107 | Draw No. | DC-VC181 |  |
| | Thickness (mm) | 1.4 | | | Thickness (mm) | 1 | |
| | Theory Weight (kg/m) | 0.791 | | | Theory Weight (kg/m) | 0.387 | |
| | Exposed Surface (m ² /m) | 0.2038 | | | Exposed Surface (m ² /m) | 0.1713 | |
| 103 | Draw No. | DC-VC174 |  | 108 | Draw No. | DC-VC185 |  |
| | Thickness (mm) | 1.4 | | | Thickness (mm) | 1.2 | |
| | Theory Weight (kg/m) | 0.439 | | | Theory Weight (kg/m) | 0.709 | |
| | Exposed Surface (m ² /m) | 0.1431 | | | Exposed Surface (m ² /m) | 0.2776 | |
| 104 | Draw No. | DC-VC178 |  | 109 | Draw No. | DC-VC190 |  |
| | Thickness (mm) | 1.1 | | | Thickness (mm) | 1 | |
| | Theory Weight (kg/m) | 0.42 | | | Theory Weight (kg/m) | 0.398 | |
| | Exposed Surface (m ² /m) | 0.152 | | | Exposed Surface (m ² /m) | 0.1491 | |
| 105 | Draw No. | DC-VC179 |  | 110 | Draw No. | DC-VC191 |  |
| | Thickness (mm) | 1.1 | | | Thickness (mm) | 4.76 | |
| | Theory Weight (kg/m) | 0.52 | | | Theory Weight (kg/m) | 1.583 | |
| | Exposed Surface (m ² /m) | 0.2035 | | | Exposed Surface (m ² /m) | 0.254 | |

Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.

| NO. | Item | | Diagram |
|-----|-------------------------------------|----------|---|
| 111 | Draw No. | DC-VC192 |  |
| | Thickness (mm) | 1.3 | |
| | Theory Weight (kg/m) | 0.366 | |
| | Exposed Surface (m ² /m) | 0.1347 | |
| 112 | Draw No. | DC-VC193 |  |
| | Thickness (mm) | 按图 | |
| | Theory Weight (kg/m) | 0.778 | |
| | Exposed Surface (m ² /m) | 0.1166 | |
| 113 | Draw No. | DC-VC194 |  |
| | Thickness (mm) | 1.7 | |
| | Theory Weight (kg/m) | 1.473 | |
| | Exposed Surface (m ² /m) | 0.3091 | |
| 114 | Draw No. | DC-VC195 |  |
| | Thickness (mm) | 1.7 | |
| | Theory Weight (kg/m) | 2.242 | |
| | Exposed Surface (m ² /m) | 0.4509 | |
| 115 | Draw No. | DC-VC196 |  |
| | Thickness (mm) | 1.7 | |
| | Theory Weight (kg/m) | 1.318 | |
| | Exposed Surface (m ² /m) | 0.2634 | |

| NO. | Item | | Diagram |
|-----|-------------------------------------|----------|---|
| 116 | Draw No. | DC-VC197 |  |
| | Thickness (mm) | 1.3 | |
| | Theory Weight (kg/m) | 0.492 | |
| | Exposed Surface (m ² /m) | 0.169 | |
| 117 | Draw No. | DC-VC198 |  |
| | Thickness (mm) | 1.3 | |
| | Theory Weight (kg/m) | 0.82 | |
| | Exposed Surface (m ² /m) | 0.2587 | |
| 118 | Draw No. | DC-VC200 |  |
| | Thickness (mm) | 0.9 | |
| | Theory Weight (kg/m) | 0.674 | |
| | Exposed Surface (m ² /m) | 0.2759 | |
| 119 | Draw No. | DC-VC201 |  |
| | Thickness (mm) | 1.15 | |
| | Theory Weight (kg/m) | 0.186 | |
| | Exposed Surface (m ² /m) | 0.1201 | |
| 120 | Draw No. | DC-VC202 |  |
| | Thickness (mm) | 1.25 | |
| | Theory Weight (kg/m) | 0.846 | |
| | Exposed Surface (m ² /m) | 0.2578 | |

| NO. | Item | | Diagram |
|-----|-------------------------------------|----------|---|
| 121 | Draw No. | DC-VC203 |  |
| | Thickness (mm) | 1 | |
| | Theory Weight (kg/m) | 0.512 | |
| | Exposed Surface (m ² /m) | 0.1616 | |
| 122 | Draw No. | DC-VC204 |  |
| | Thickness (mm) | 1 | |
| | Theory Weight (kg/m) | 0.41 | |
| | Exposed Surface (m ² /m) | 0.1228 | |
| 123 | Draw No. | DC-VC206 |  |
| | Thickness (mm) | 1.4 | |
| | Theory Weight (kg/m) | 0.937 | |
| | Exposed Surface (m ² /m) | 0.2388 | |
| 124 | Draw No. | DC-VC207 |  |
| | Thickness (mm) | 1 | |
| | Theory Weight (kg/m) | 0.376 | |
| | Exposed Surface (m ² /m) | 0.1443 | |
| | Draw No. | | |
| | Thickness (mm) | | |
| | Theory Weight (kg/m) | | |
| | Exposed Surface (m ² /m) | | |

| NO. | Item | | Diagram |
|-----|-------------------------------------|--|---------|
| 126 | Draw No. | | |
| | Thickness (mm) | | |
| | Theory Weight (kg/m) | | |
| | Exposed Surface (m ² /m) | | |
| 127 | Draw No. | | |
| | Thickness (mm) | | |
| | Theory Weight (kg/m) | | |
| | Exposed Surface (m ² /m) | | |
| 128 | Draw No. | | |
| | Thickness (mm) | | |
| | Theory Weight (kg/m) | | |
| | Exposed Surface (m ² /m) | | |
| 129 | Draw No. | | |
| | Thickness (mm) | | |
| | Theory Weight (kg/m) | | |
| | Exposed Surface (m ² /m) | | |
| | Draw No. | | |
| | Thickness (mm) | | |
| | Theory Weight (kg/m) | | |
| | Exposed Surface (m ² /m) | | |