





















NO.	Item		Diagram
1	Draw No.	CKNA017	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.612	
	Exposed Surface (m ² /m)	0.2227	
2	Draw No.	CKNA018	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.531	
	Exposed Surface (m ² /m)	0.1927	
3	Draw No.	CKNA019	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.538	
	Exposed Surface (m ² /m)	0.255	
4	Draw No.	CKNA020	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.351	
	Exposed Surface (m ² /m)	0.1437	
5	Draw No.	CKNA020A	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.612	
	Exposed Surface (m ² /m)	0.14	






NO.	Item		Diagram
6	Draw No.	CKNA021	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.38	
	Exposed Surface (m ² /m)	0.1406	
7	Draw No.	CKNA021A	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.675	
	Exposed Surface (m ² /m)	0.1406	
8	Draw No.	CKNA022	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.41	
	Exposed Surface (m ² /m)	0.1472	
9	Draw No.	CKNA022A	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.697	
	Exposed Surface (m ² /m)	0.1459	
10	Draw No.	CKNA023	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.39	
	Exposed Surface (m ² /m)	0.1212	






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.

NO.	Item		Diagram
11	Draw No.	CKNA023A	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.619	
	Exposed Surface (m ² /m)	0.1199	
12	Draw No.	CKNA024	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.25	
	Exposed Surface (m ² /m)	0.1386	
13	Draw No.	CKNA024A	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.398	
	Exposed Surface (m ² /m)	0.1412	
14	Draw No.	CKNA025	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.56	
	Exposed Surface (m ² /m)	0.239	
15	Draw No.	CKNA025A	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.781	
	Exposed Surface (m ² /m)	0.2358	






NO.	Item		Diagram
16	Draw No.	CKNA026	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.37	
	Exposed Surface (m ² /m)	0.1653	
17	Draw No.	CKNA026A	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.624	
	Exposed Surface (m ² /m)	0.1672	
18	Draw No.	CKNA027	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.236	
	Exposed Surface (m ² /m)	0.0834	
19	Draw No.	CKNA028	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.15	
	Exposed Surface (m ² /m)	0.0852	
20	Draw No.	CKNA029	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.16	
	Exposed Surface (m ² /m)	0.0446	






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.

NO.	Item		Diagram
21	Draw No.	CKNA030	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.87	
	Exposed Surface (m ² /m)	0.3228	
22	Draw No.	CKNA030A	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	1.095	
	Exposed Surface (m ² /m)	0.3196	
23	Draw No.	CKNA031	
	Thickness (mm)	0.9	
	Theory Weight (kg/m)	0.155	
	Exposed Surface (m ² /m)	0.0344	
24	Draw No.	CKNA032	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.16	
	Exposed Surface (m ² /m)	0.022	
25	Draw No.	CKNA033	
	Thickness (mm)	1.8	
	Theory Weight (kg/m)	0.592	
	Exposed Surface (m ² /m)	0.1434	






NO.	Item		Diagram
26	Draw No.	CKNA034	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.254	
	Exposed Surface (m ² /m)	0.1829	
27	Draw No.	CKNA035	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.268	
	Exposed Surface (m ² /m)	0.1982	
28	Draw No.	CKNA036	
	Thickness (mm)	0.95	
	Theory Weight (kg/m)	0.605	
	Exposed Surface (m ² /m)	0.2344	
29	Draw No.	CKNA037	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.47	
	Exposed Surface (m ² /m)	0.2074	
30	Draw No.	CKNA038	
	Thickness (mm)	0.9	
	Theory Weight (kg/m)	0.654	
	Exposed Surface (m ² /m)	0.3049	






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.

NO.	Item		Diagram
31	Draw No.	CKNA038B	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.601	
	Exposed Surface (m ² /m)	0.306	
32	Draw No.	CKNA039	
	Thickness (mm)	0.95	
	Theory Weight (kg/m)	0.485	
	Exposed Surface (m ² /m)	0.2263	
33	Draw No.	CKNA039A	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.717	
	Exposed Surface (m ² /m)	0.2606	
34	Draw No.	CKNA039B	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.416	
	Exposed Surface (m ² /m)	0.2652	
35	Draw No.	CKNA040	
	Thickness (mm)	0.9	
	Theory Weight (kg/m)	0.526	
	Exposed Surface (m ² /m)	0.2099	






NO.	Item		Diagram
36	Draw No.	CKNA041	
	Thickness (mm)	0.95	
	Theory Weight (kg/m)	0.615	
	Exposed Surface (m ² /m)	0.2398	
37	Draw No.	CKNA042	
	Thickness (mm)	0.95	
	Theory Weight (kg/m)	0.627	
	Exposed Surface (m ² /m)	0.3056	
38	Draw No.	CKNA043	
	Thickness (mm)	0.95	
	Theory Weight (kg/m)	0.164	
	Exposed Surface (m ² /m)	0.0338	
39	Draw No.	CKNA044	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.8	
	Exposed Surface (m ² /m)	0.2865	
40	Draw No.	CKNA044A	
	Thickness (mm)	0.9	
	Theory Weight (kg/m)	0.612	
	Exposed Surface (m ² /m)	0.2865	






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.

NO.	Item		Diagram
41	Draw No.	CKNA044B	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.557	
	Exposed Surface (m ² /m)	0.2851	
42	Draw No.	CKNA045	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.78	
	Exposed Surface (m ² /m)	0.327	
43	Draw No.	CKNA045A	
	Thickness (mm)	0.9	
	Theory Weight (kg/m)	0.594	
	Exposed Surface (m ² /m)	0.327	
44	Draw No.	CKNA045B	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.54	
	Exposed Surface (m ² /m)	0.3241	
45	Draw No.	CKNA047	
	Thickness (mm)	0.95	
	Theory Weight (kg/m)	0.467	
	Exposed Surface (m ² /m)	0.2575	






NO.	Item		Diagram
46	Draw No.	CKNA047A	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.644	
	Exposed Surface (m ² /m)	0.2575	
47	Draw No.	CKNA048	
	Thickness (mm)	0.95	
	Theory Weight (kg/m)	0.443	
	Exposed Surface (m ² /m)	0.1262	
48	Draw No.	CKNA048R	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.38	
	Exposed Surface (m ² /m)	0.1262	
49	Draw No.	CKNA049	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.295	
	Exposed Surface (m ² /m)	0.1809	
50	Draw No.	CKNA050	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.405	
	Exposed Surface (m ² /m)	0.1336	






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.






NO.	Item		Diagram
51	Draw No.	CKNA051	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.566	
	Exposed Surface (m ² /m)	0.2074	
52	Draw No.	CKNA051A	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.754	
	Exposed Surface (m ² /m)	0.2074	
53	Draw No.	CKNA052	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.798	
	Exposed Surface (m ² /m)	0.3036	
54	Draw No.	CKNA053	
	Thickness (mm)	2	
	Theory Weight (kg/m)	1.395	
	Exposed Surface (m ² /m)	0.17	
55	Draw No.	CKNA054	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.52	
	Exposed Surface (m ² /m)	0.1603	






NO.	Item		Diagram
56	Draw No.	CKNA055	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.705	
	Exposed Surface (m ² /m)	0.24	
57	Draw No.	CKNA056	
	Thickness (mm)	2.8	
	Theory Weight (kg/m)	0.611	
	Exposed Surface (m ² /m)	0.166	
58	Draw No.	CKNA057	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.31	
	Exposed Surface (m ² /m)	0.1	
59	Draw No.	CKNA058	
	Thickness (mm)	0.95	
	Theory Weight (kg/m)	0.186	
	Exposed Surface (m ² /m)	0.0406	
60	Draw No.	CKNA058B	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.16	
	Exposed Surface (m ² /m)	0.0848	






Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.


NO.	Item		Diagram
61	Draw No.	CKNA059	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	1.061	
	Exposed Surface (m ² /m)	0.2465	
62	Draw No.	CKNA059A	
	Thickness (mm)	1.7	
	Theory Weight (kg/m)	1.193	
	Exposed Surface (m ² /m)	0.3349	
63	Draw No.	CKNA060	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.907	
	Exposed Surface (m ² /m)	0.243	
64	Draw No.	CKNA065	
	Thickness (mm)	0.9	
	Theory Weight (kg/m)	0.172	
	Exposed Surface (m ² /m)	0.0305	
65	Draw No.	CKNA067	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.24	
	Exposed Surface (m ² /m)	0.1163	

NO.	Item		Diagram
66	Draw No.	CKNA068	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.3	
	Exposed Surface (m ² /m)	0.1719	
67	Draw No.	CKNA072	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.378	
	Exposed Surface (m ² /m)	0.0889	
68	Draw No.	CKNA075	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.838	
	Exposed Surface (m ² /m)	0.3702	
69	Draw No.	CKNA075B	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.79	
	Exposed Surface (m ² /m)	0.3713	
70	Draw No.	CKNA076	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.318	
	Exposed Surface (m ² /m)	0.1332	

NO.	Item		Diagram
71	Draw No.	CKNA083	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.645	
	Exposed Surface (m ² /m)	0.2372	
72	Draw No.	CKNA083B	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.527	
	Exposed Surface (m ² /m)	0.2393	
73	Draw No.	CKNA084	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.729	
	Exposed Surface (m ² /m)	0.3087	
74	Draw No.	CKNA084R	
	Thickness (mm)	0.9	
	Theory Weight (kg/m)	0.69	
	Exposed Surface (m ² /m)	0.3095	
75	Draw No.	CKNA085	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.903	
	Exposed Surface (m ² /m)	0.3185	

NO.	Item		Diagram
76	Draw No.	CKNA085A	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.682	
	Exposed Surface (m ² /m)	0.3185	
77	Draw No.	CKNA085R	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.57	
	Exposed Surface (m ² /m)	0.3185	
78	Draw No.	CKNA086	
	Thickness (mm)	0.7	
	Theory Weight (kg/m)	0.126	
	Exposed Surface (m ² /m)	0.0845	
79	Draw No.	CKNA087	
	Thickness (mm)	0.85	
	Theory Weight (kg/m)	0.255	
	Exposed Surface (m ² /m)	0.0809	
80	Draw No.	CKNA087B	
	Thickness (mm)	0.65	
	Theory Weight (kg/m)	0.207	
	Exposed Surface (m ² /m)	0.1325	

NO.	Item		Diagram
81	Draw No.	CKNA088	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.154	
	Exposed Surface (m ² /m)	0.0842	
82	Draw No.	CKNA089	
	Thickness (mm)	0.85	
	Theory Weight (kg/m)	0.305	
	Exposed Surface (m ² /m)	0.158	
83	Draw No.	CKNA090	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.479	
	Exposed Surface (m ² /m)	0.226	
84	Draw No.	CKNA090R	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.42	
	Exposed Surface (m ² /m)	0.2266	
85	Draw No.	CKNA091	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.133	
	Exposed Surface (m ² /m)	0.0737	

NO.	Item		Diagram
86	Draw No.	CKNA092	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.562	
	Exposed Surface (m ² /m)	0.2052	
87	Draw No.		
	Thickness (mm)		
	Theory Weight (kg/m)		
	Exposed Surface (m ² /m)		
88	Draw No.		
	Thickness (mm)		
	Theory Weight (kg/m)		
	Exposed Surface (m ² /m)		
89	Draw No.		
	Thickness (mm)		
	Theory Weight (kg/m)		
	Exposed Surface (m ² /m)		
90	Draw No.		
	Thickness (mm)		
	Theory Weight (kg/m)		
	Exposed Surface (m ² /m)		

Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.

NO.	Item		Diagram
	Draw No.		
	Thickness (mm)		
	Theory Weight (kg/m)		
	Exposed Surface (m ² /m)		
	Draw No.		
	Thickness (mm)		
	Theory Weight (kg/m)		
	Exposed Surface (m ² /m)		
	Draw No.		
	Thickness (mm)		
	Theory Weight (kg/m)		
	Exposed Surface (m ² /m)		
	Draw No.		
	Thickness (mm)		
	Theory Weight (kg/m)		
	Exposed Surface (m ² /m)		
	Draw No.		
	Thickness (mm)		
	Theory Weight (kg/m)		
	Exposed Surface (m ² /m)		

NO.	Item		Diagram
	Draw No.		
	Thickness (mm)		
	Theory Weight (kg/m)		
	Exposed Surface (m ² /m)		
	Draw No.		
	Thickness (mm)		
	Theory Weight (kg/m)		
	Exposed Surface (m ² /m)		
	Draw No.		
	Thickness (mm)		
	Theory Weight (kg/m)		
	Exposed Surface (m ² /m)		
	Draw No.		
	Thickness (mm)		
	Theory Weight (kg/m)		
	Exposed Surface (m ² /m)		
	Draw No.		
	Thickness (mm)		
	Theory Weight (kg/m)		
	Exposed Surface (m ² /m)		

Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.