

SIN Series diagram

NO.	Item		Diagram
1	Draw No.	STN-001	
	Thickness (mm)	0	
	Theory Weight (kg/m)	0.242	
	Exposed Surface (m ² /m)	0	
2	Draw No.	STN-002	
	Thickness (mm)	0	
	Theory Weight (kg/m)	0.299	
	Exposed Surface (m ² /m)	0	
3	Draw No.	STN-003	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.231	
	Exposed Surface (m ² /m)	0.122	
4	Draw No.	STN-004	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.211	
	Exposed Surface (m ² /m)	0.0972	
5	Draw No.	STN-005	
	Thickness (mm)	0.95	
	Theory Weight (kg/m)	0.195	
	Exposed Surface (m ² /m)	0.0718	

NO.	Item		Diagram
6	Draw No.	STN-006	
	Thickness (mm)	0.95	
	Theory Weight (kg/m)	0.222	
	Exposed Surface (m ² /m)	0.0944	
7	Draw No.	STN-007	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.237	
	Exposed Surface (m ² /m)	0.0728	
8	Draw No.	STN-008	
	Thickness (mm)	0.95	
	Theory Weight (kg/m)	0.198	
	Exposed Surface (m ² /m)	0.0841	
9	Draw No.	STN-009	
	Thickness (mm)	0.9	
	Theory Weight (kg/m)	0.363	
	Exposed Surface (m ² /m)	0.152	
10	Draw No.	STN-010	
	Thickness (mm)	0.95	
	Theory Weight (kg/m)	0.225	
	Exposed Surface (m ² /m)	0.1026	

Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.






SIN Series diagram






NO.	Item		Diagram
11	Draw No.	STN-011	
	Thickness (mm)	0.95	
	Theory Weight (kg/m)	0.256	
	Exposed Surface (m ² /m)	0.1266	
12	Draw No.	STN-012	
	Thickness (mm)	0.95	
	Theory Weight (kg/m)	0.248	
	Exposed Surface (m ² /m)	0.112	
13	Draw No.	STN-013	
	Thickness (mm)	0.95	
	Theory Weight (kg/m)	0.28	
	Exposed Surface (m ² /m)	0.136	
14	Draw No.	STN-014	
	Thickness (mm)	2	
	Theory Weight (kg/m)	1.381	
	Exposed Surface (m ² /m)	0.1788	
15	Draw No.	STN-015	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.289	
	Exposed Surface (m ² /m)	0.1282	

NO.	Item		Diagram
16	Draw No.	STN-016	
	Thickness (mm)	1.15	
	Theory Weight (kg/m)	0.445	
	Exposed Surface (m ² /m)	0.1798	
17	Draw No.	STN-017	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.498	
	Exposed Surface (m ² /m)	0.2249	
18	Draw No.	STN-018	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.586	
	Exposed Surface (m ² /m)	0.2283	
19	Draw No.	STN-019	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.176	
	Exposed Surface (m ² /m)	0.0274	
20	Draw No.	STN-020	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.067	
	Exposed Surface (m ² /m)	0.0489	

Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.






SIN Series diagram






NO.	Item		Diagram
21	Draw No.	STN-033	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.46	
	Exposed Surface (m ² /m)	0.1845	
22	Draw No.	STN-034	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.4	
	Exposed Surface (m ² /m)	0.0951	
23	Draw No.	STN-035	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.471	
	Exposed Surface (m ² /m)	0.1151	
24	Draw No.	STN-036	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.47	
	Exposed Surface (m ² /m)	0.1253	
25	Draw No.	STN-037	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.451	
	Exposed Surface (m ² /m)	0.1297	

NO.	Item		Diagram
26	Draw No.	STN-038	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.446	
	Exposed Surface (m ² /m)	0.1578	
27	Draw No.	STN-039	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.237	
	Exposed Surface (m ² /m)	0.1242	
28	Draw No.	STN-040	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.559	
	Exposed Surface (m ² /m)	0.2446	
29	Draw No.	STN-051	
	Thickness (mm)	0.95	
	Theory Weight (kg/m)	0.265	
	Exposed Surface (m ² /m)	0.0975	
30	Draw No.	STN-052	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.321	
	Exposed Surface (m ² /m)	0.0928	

Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.

SIN Series diagram

NO.	Item		Diagram
31	Draw No.	STN-053	
	Thickness (mm)	0.85	
	Theory Weight (kg/m)	0.469	
	Exposed Surface (m ² /m)	0.2744	
32	Draw No.	STN-054	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.067	
	Exposed Surface (m ² /m)	0.0304	
33	Draw No.	STN-055	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.436	
	Exposed Surface (m ² /m)	0.06	
34	Draw No.	STN-056	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.14	
	Exposed Surface (m ² /m)	0.0415	
35	Draw No.	STN-057	
	Thickness (mm)	1.4	
	Theory Weight (kg/m)	0.266	
	Exposed Surface (m ² /m)	0.0671	

NO.	Item		Diagram
36	Draw No.	STN-059	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.056	
	Exposed Surface (m ² /m)	0.0289	
37	Draw No.	STN-060	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.324	
	Exposed Surface (m ² /m)	0.152	
38	Draw No.	STN-061	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.211	
	Exposed Surface (m ² /m)	0.1	
39	Draw No.	STN-062	
	Thickness (mm)	0.77	
	Theory Weight (kg/m)	0.077	
	Exposed Surface (m ² /m)	0.0746	
40	Draw No.	STN-063	
	Thickness (mm)	0.77	
	Theory Weight (kg/m)	0.058	
	Exposed Surface (m ² /m)	0.0566	

Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.

SIN Series diagram

NO.	Item		Diagram
41	Draw No.	STN-064	
	Thickness (mm)	0.75	
	Theory Weight (kg/m)	0.114	
	Exposed Surface (m ² /m)	0.0582	
42	Draw No.	STN-065	
	Thickness (mm)	0.75	
	Theory Weight (kg/m)	0.138	
	Exposed Surface (m ² /m)	0.0698	
43	Draw No.	STN-066	
	Thickness (mm)	0.75	
	Theory Weight (kg/m)	0.156	
	Exposed Surface (m ² /m)	0.0786	
44	Draw No.	STN-067	
	Thickness (mm)	0.75	
	Theory Weight (kg/m)	0.068	
	Exposed Surface (m ² /m)	0.068	
45	Draw No.	STN-068	
	Thickness (mm)	0.9	
	Theory Weight (kg/m)	0.516	
	Exposed Surface (m ² /m)	0.2142	

NO.	Item		Diagram
46	Draw No.	STN-069	
	Thickness (mm)	0.9	
	Theory Weight (kg/m)	0.582	
	Exposed Surface (m ² /m)	0.2412	
47	Draw No.	STN-070	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.224	
	Exposed Surface (m ² /m)	0.1059	
48	Draw No.	STN-071	
	Thickness (mm)	0.7	
	Theory Weight (kg/m)	0.103	
	Exposed Surface (m ² /m)	0.026	
49	Draw No.	STN-072	
	Thickness (mm)	0.7	
	Theory Weight (kg/m)	0.123	
	Exposed Surface (m ² /m)	0.0275	
50	Draw No.	STN-074	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.11	
	Exposed Surface (m ² /m)	0.0457	

Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.

SIN Series diagram

NO.	Item		Diagram
51	Draw No.	STN-076	
	Thickness (mm)	0.9	
	Theory Weight (kg/m)	0.24	
	Exposed Surface (m ² /m)	0.1932	
52	Draw No.	STN-077	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.33	
	Exposed Surface (m ² /m)	0.1524	
53	Draw No.	STN-078	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.365	
	Exposed Surface (m ² /m)	0.1708	
54	Draw No.	STN-079	
	Thickness (mm)	1.7	
	Theory Weight (kg/m)	0.315	
	Exposed Surface (m ² /m)	0.1401	
55	Draw No.	STN-083	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.41	
	Exposed Surface (m ² /m)	0.19	

NO.	Item		Diagram
56	Draw No.	STN-084	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.272	
	Exposed Surface (m ² /m)	0.0825	
57	Draw No.	STN-085	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.22	
	Exposed Surface (m ² /m)	0.0627	
58	Draw No.	STN-086	
	Thickness (mm)	0.7	
	Theory Weight (kg/m)	0.066	
	Exposed Surface (m ² /m)	0.036	
59	Draw No.	STN-087	
	Thickness (mm)	0	
	Theory Weight (kg/m)	0.092	
	Exposed Surface (m ² /m)	0.0401	
60	Draw No.	STN-088	
	Thickness (mm)	0	
	Theory Weight (kg/m)	0.11	
	Exposed Surface (m ² /m)	0.0495	

Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.

SIN Series diagram

NO.	Item		Diagram
61	Draw No.	STN-090	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.625	
	Exposed Surface (m ² /m)	0.3502	
62	Draw No.	STN-091	
	Thickness (mm)	1.35	
	Theory Weight (kg/m)	0.254	
	Exposed Surface (m ² /m)	0.1421	
63	Draw No.	STN-092	
	Thickness (mm)	1.5	
	Theory Weight (kg/m)	0.419	
	Exposed Surface (m ² /m)	0.2337	
64	Draw No.	STN-097	
	Thickness (mm)	0.9	
	Theory Weight (kg/m)	0.322	
	Exposed Surface (m ² /m)	0.1214	
65	Draw No.	STN-098	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.482	
	Exposed Surface (m ² /m)	0.1066	

NO.	Item		Diagram
66	Draw No.	STN-099	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.383	
	Exposed Surface (m ² /m)	0.1068	
67	Draw No.	STN-100	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.098	
	Exposed Surface (m ² /m)	0.0672	
68	Draw No.	STN-101	
	Thickness (mm)	0.9	
	Theory Weight (kg/m)	0.109	
	Exposed Surface (m ² /m)	0.0897	
69	Draw No.	STN-102	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.114	
	Exposed Surface (m ² /m)	0.0595	
70	Draw No.	STN-103	
	Thickness (mm)	2.2	
	Theory Weight (kg/m)	0.212	
	Exposed Surface (m ² /m)	0.075	

Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.

SIN Series diagram

NO.	Item		Diagram
71	Draw No.	STN-104	
	Thickness (mm)	1.1	
	Theory Weight (kg/m)	0.08	
	Exposed Surface (m ² /m)	0.0441	
72	Draw No.	STN-105	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.25	
	Exposed Surface (m ² /m)	0.0594	
73	Draw No.	STN-106	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.096	
	Exposed Surface (m ² /m)	0.0356	
74	Draw No.	STN-107	
	Thickness (mm)	2.5	
	Theory Weight (kg/m)	0.3	
	Exposed Surface (m ² /m)	0.0897	
75	Draw No.	STN-108	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.58	
	Exposed Surface (m ² /m)	0.2991	

NO.	Item		Diagram
76	Draw No.	STN-109	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.281	
	Exposed Surface (m ² /m)	0.1264	
77	Draw No.	STN-110	
	Thickness (mm)	1.8	
	Theory Weight (kg/m)	0.31	
	Exposed Surface (m ² /m)	0.085	
78	Draw No.	STN-111	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.16	
	Exposed Surface (m ² /m)	0.0372	
79	Draw No.	STN-112	
	Thickness (mm)	1.3	
	Theory Weight (kg/m)	0.18	
	Exposed Surface (m ² /m)	0.049	
80	Draw No.	STN-113	
	Thickness (mm)	0.85	
	Theory Weight (kg/m)	0.241	
	Exposed Surface (m ² /m)	0.0961	

Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.

SIN Series diagram

NO.	Item		Diagram
81	Draw No.	STN-114	
	Thickness (mm)	0.85	
	Theory Weight (kg/m)	0.284	
	Exposed Surface (m ² /m)	0.0935	
82	Draw No.	STN-115	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.144	
	Exposed Surface (m ² /m)	0.045	
83	Draw No.	STN-116	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.099	
	Exposed Surface (m ² /m)	0.0478	
84	Draw No.	STN-117	
	Thickness (mm)	2.1	
	Theory Weight (kg/m)	0.23	
	Exposed Surface (m ² /m)	0.0816	
85	Draw No.	STN-118	
	Thickness (mm)	2.05	
	Theory Weight (kg/m)	0.18	
	Exposed Surface (m ² /m)	0.0475	

NO.	Item		Diagram
86	Draw No.	STN-119	
	Thickness (mm)	2.05	
	Theory Weight (kg/m)	0.093	
	Exposed Surface (m ² /m)	0.0463	
87	Draw No.	STN-120	
	Thickness (mm)	0.8	
	Theory Weight (kg/m)	0.16	
	Exposed Surface (m ² /m)	0.076	
88	Draw No.	STN-121	
	Thickness (mm)	0.7	
	Theory Weight (kg/m)	0.037	
	Exposed Surface (m ² /m)	0.04	
89	Draw No.	STN-122	
	Thickness (mm)	1	
	Theory Weight (kg/m)	0.47	
	Exposed Surface (m ² /m)	0.1851	
90	Draw No.	STN-123	
	Thickness (mm)	2.1	
	Theory Weight (kg/m)	0.503	
	Exposed Surface (m ² /m)	0.0942	

Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.


SIN Series diagram

NO.	Item		Diagram
91	Draw No.	STN-124	
	Thickness (mm)	0.95	
	Theory Weight (kg/m)	0.093	
	Exposed Surface (m ² /m)	0.0344	
92	Draw No.	STN-125	
	Thickness (mm)	1.6	
	Theory Weight (kg/m)	0.39	
	Exposed Surface (m ² /m)	0.0942	
93	Draw No.	STN-126	
	Thickness (mm)	3.1	
	Theory Weight (kg/m)	0.26	
	Exposed Surface (m ² /m)	0.104	
94	Draw No.	STN-127	
	Thickness (mm)	1.25	
	Theory Weight (kg/m)	0.51	
	Exposed Surface (m ² /m)	0.1785	
95	Draw No.	STN-128	
	Thickness (mm)	0.9	
	Theory Weight (kg/m)	0.231	
	Exposed Surface (m ² /m)	0.1312	

NO.	Item		Diagram
96	Draw No.	STN-129	
	Thickness (mm)	0.9	
	Theory Weight (kg/m)	0.18	
	Exposed Surface (m ² /m)	0.134	
97	Draw No.	STN-130	
	Thickness (mm)	0.95	
	Theory Weight (kg/m)	0.18	
	Exposed Surface (m ² /m)	0.0642	
98	Draw No.	STN-131	
	Thickness (mm)	0.95	
	Theory Weight (kg/m)	0.22	
	Exposed Surface (m ² /m)	0.0563	
99	Draw No.	STN-132	
	Thickness (mm)	0.95	
	Theory Weight (kg/m)	0.3	
	Exposed Surface (m ² /m)	0.115	
100	Draw No.	STN-133	
	Thickness (mm)	0.7	
	Theory Weight (kg/m)	0.103	
	Exposed Surface (m ² /m)	0.0331	

Note: In order to avoid the loss caused by mistakes, please communicate and consult with the Technical Department before choosing. The right of final interpretation belongs to the Technical Department.

SIN Series diagram

NO.	Item		Diagram
101	Draw No.	STN-134	
	Thickness (mm)	1.2	
	Theory Weight (kg/m)	0.25	
	Exposed Surface (m ² /m)	0.1565	

NO.	Item		Diagram
106	Draw No.		
	Thickness (mm)		
	Theory Weight (kg/m)		
	Exposed Surface (m ² /m)		